



CORNWELL[®] **QUALITY TOOLS**

20 EQUIPMENT FLYER
25 JULY-AUGUST



**CORNWELL
GEAR INSIDE!**

FJC6930CW 5 CFM Spark Proof Vacuum Pump for R-1234yf / R-134a

Dual inlet T-fitting compatible with both R-1234yf and R-134a. Spark-proof design for safer operation. 1,725 RPM pump with twin-port technology. 1/3 HP motor provides a powerful vacuum. Large oil level sight glass and easily accessible drain plug. Lightweight, durable construction for easy handling and long-life. Thermally protected motor with on/off rocker switch. High-volume fan and cooling fins keep motor and pump cool. Safe to use as a replacement pump for recovery machines. Includes 1/2" RH male x 1/2" ACME LH male inlet fittings.



\$219.95 ~~\$249.95~~

MCL53123YF Refillable R1234yf Oil Injector

Inject oil or dye by connecting to the low side of the A/C system and twisting the handle until you reach the desired amount. Heavy-duty, anodized aluminum 2oz. container with dye scales in 1/10 ounce, 1/4 ounce and milliliters. Includes R1234yf coupler.



\$189.95 ~~\$219.95~~

MCL53134A Refillable Universal Dye / Oil Injector

Inject oil or dye by connecting to the low side of the A/C system and twisting the handle until you reach the desired amount. Heavy-duty, anodized aluminum 2oz. container with dye scales in 1/10 ounce, 1/4 ounce and milliliters.



\$109.95 ~~\$134.95~~



Visual Inspection Sight Glass

MCL53376 - R134a **\$169.95** ~~\$205.95~~

MCL53376YF - R1234yf **\$189.95** ~~\$224.95~~

Save time by easily determining if the A/C system needs to be flushed. Can be used with vacuum pump or with the vacuum function on a RRR machine. Extracts a small portion of the refrigerant for actual visual inspection to identify excess dye, oil or debris. Leak free, ball valve allows refrigerant to be deposited back into the system. Includes sight glass, 60" hoses and quick couplers.

MCL58490 R12 & R134a No-Leak Valve Core Remover/Installer

Removes and installs R134a and R12 vehicle AC service port valve cores with no refrigerant loss. Eliminates the need for evacuating A/C system prior to replacing valve cores. For use with all R12 & R134a system valve cores for Standard, JRA, Eaton and GM Large Bore.



\$159.95 ~~\$194.95~~

MCLC89772AYF R1234yf / R134a Premium Dual Manifold Gauge Set


Professional extruded aluminum block, 72" hoses and 2-1/2" silicone dampened, recalibrateable gauges. Free-floating piston type valves reduce o-ring wear. Extra access port for vacuum line. Extra large sight glass for visual refrigerant check. Large easy-to-grip knobs and patented manual couplers.



\$369.95 ~~\$419.95~~

MCL289772 R134a Manifold Gauge Set with 72" Hoses

Aluminum manifold block, anti-flutter gauges, 72" hoses and standard couplers.



\$144.95 ~~\$179.95~~

MCL83272 R1234yf Manifold Gauge Set

Anti-flutter gauges smooth out needle movement. Piston type free-floating valves reduce o-ring wear. Red and blue nylon barrier hoses with 12mm-m fittings on both sides meets SAE J2888, EPA, SAE and UL standards. Yellow hose with 12mm fitting on one side and 1/2" x 16 ACME on the other meet SAE J2888.



\$254.95 ~~\$309.95~~

SAVE \$300.00



MCL91788 Mobile Monster R134a Recover & Charging Station

Heavy-duty work station built to endure and excel in any environment, from challenging fieldwork to regular usage. Robust steel framework (36 1/4 x 28 3/4 x 25") and reinforced components ensure optimal performance, even in the most demanding conditions. Extra-large, 10" pneumatic off-road tires. 4-way aluminum manifold and electronic charging scale. 6 CFM, 2 stage vacuum pump. Twin Turbo refrigerant recovery machine. Nylon barrier hoses with standard (1/4" x 1/4") fittings. Recovery cylinder sold separate.

\$3,495.00 ~~\$3,895.00~~

CWMXHD HD Truck Fully Automatic 134a A/C Service Machine

Built for commercial and heavy-duty applications. Fully automatic for fast and efficient servicing of large capacity A/C systems. Easy-to access external tank for flexibility in tank size. Extra long 18' hoses. 6CFM, 2-stage vacuum pump. 12.67cc twin-piston compressor. 3.5" pressure gauges. Heavy-duty steel frame construction with 10" foam-filled tires. 7" color touch screen. WiFi and Bluetooth® enabled. Includes 50 lb. tank, heater blanket and 2-year full-coverage warranty.



**SAVE
\$1,000**

\$11,495.00 ~~\$12,495.00~~



MCL55900 IntellaSense II Leak Detector

Heated tin oxide sensing element. Sensing life is 2,000 hours. Detects all refrigerants (HFC, CFC, HCFC, and blends). Response time less than one second. Battery: (2) C alkaline 6,000 mAh batteries (included). Operating range: 0°F to 120°F

\$319.95 ~~\$379.95~~

RECOVER & RECYCLE

A RAC1234YF Premium R1234yf Recovery, Recycle, Recharge Machine with Identifier

Service both standard and high-voltage R1234yf systems. Fully automatic recover, vacuum, leak test and charge. Long 12' hoses and large 3 CFM, 2-stage pump. Automatically refills the internal tank. Industry-leading 98.5% recovery efficiency Includes: free on-screen vehicle refrigerant and oil specification database, dust cover and 2-year warranty

\$8,495.00 ~~\$8,695.00~~

B RAC34788NI Fully-Automatic R134a Refrigerant Recovery Machine

Automatically recover, vacuum, leak test and charge. Built-in UV and oil injection. 2-stage, 3CFM pump and long 12' hoses. Background tank refill and onboard hose flush. Includes on-screen vehicle specification database, dust cover and 2-year warranty.

\$5,995.00 ~~\$6,595.00~~

C RAC34288NI Semi-Automatic R134a Refrigerant Recovery Machine

Long 12' hoses allow more versatility and a 2-stage vacuum pump provides industry-leading efficiency. Large, color multilingual display. Includes free dust cover and 2-year warranty.

\$4,795.00 ~~\$5,295.00~~





RB1030 5 Piece Spark Plug & Sensor Thread Chaser Set

Restores and cleans threads in spark plug holes, Nox sensors, O2 sensors and more. Unique design can be used with a wrench, socket and 3/8" drive ratchet or extension for long reach applications and recessed spark plug holes. Low profile for access into confined areas. Includes M10 x 1.0, M12 x 1.25, M14 x 1.25, M18 x 1.5, M20 x 1.5 and vinyl holder. Made in USA.

\$51.95 ~~\$57.95~~



ARBYSET5 5 Piece Bypass Wrench Set

3/8" Drive Wrench Set connects ratchet, extension and/or breaker bar. Accesses bolts and nuts by going around obstructions. Designed for turbo bolts and nuts on Cummins, Detroit Diesel, Mack, Volvo, International, John Deere, Komatsun and Audi. Works on a variety of applications.

\$199.95 ~~\$219.95~~

LS34720 8 Piece Injector Seal Installer Kit

Used for replacing Teflon Seals on most Hitachi, Bosch, Continental and Delphi Single and Double Sealed Fuel Injectors found on many Ford, GM and Subaru Engines. Also works on many Ford ECO injectors with direct injectors.



\$74.95 ~~\$84.95~~

LS40740 Diesel Injector Puller Kit

Compatible with a variety of injectors found in Cummins and Duramax engines. Two-jaw design firmly grips the injector while it is being removed by the slide hammer. Includes three application specific attachments. Remove the shoulder bolt to switch between the attachments. Applications: Duramax 2001-2010, LB7, LLY, LBZ and LMM. 2011 and newer LML engines. Cummins 2003 to 2018 5.9L and 6.7L.



\$249.95 ~~\$289.95~~

ASD6006ACW 6/12/24V Heavy- Duty Charger with 280A Crank Assist

Safe for SLA, AGM, and maintenance-free batteries. 6V/70A, 12V/65A and 24V/30A charge ratings. 120-minute timer with continuous charge hold. 12V/280A engine start crank assist. 500A fully insulated clamps and heavy-duty chrome plated handle. Two-Year "bumper-to-bumper" Warranty and Five-Year Limited for Transformer/Rectifier. Made in USA.



\$809.95 ~~\$899.95~~



IP7867A 7-Way Brushall™ Trailer Brush

Cleans 7-way round-pin, male and female trailer plug and socket connections. Removes corrosion and improves electrical connections. Heavy-duty design with precision-made brushes. Includes a removable protective cap.

\$49.95 ~~\$54.95~~

IP8048 Heavy-Duty Fleet Terminal Cleaner Kit

Cleans and repairs most electrical connectors found on cars, trucks, and industrial equipment in North America. Used as both service and preventative maintenance tools.



\$139.95 ~~\$159.95~~

IP9101 Light Ranger MUTT® Trailer Tester

For 7-flat, 6-round and 4/5 flat pin trailer harnesses, the Light Ranger MUTT® simulates all electrical circuits of standard towing vehicles for boating, RV, landscaping, hunting and similar type light duty trailers. Comes with a battery charger and 3-way trailer harness adapter.



\$239.95 ~~\$264.95~~

IP9102 Heavy Ranger MUTT® Trailer Tester

A commercial trailer light and electric brakes tester that reduces guesswork and saves time by powering each trailer electrical circuit in 7-way round pin arrangements. Allows for proper verification of wiring configuration, ground integrity, short circuit and overload conditions, along with electric brake operation and turn signal simulation.



\$239.95 ~~\$264.95~~



TEXTTAXTPROM00 HD Scan Tool with Free Off-Highway Software

Enhanced coverage for HD truck, bus & medium-duty. Also includes software coverage for construction and agriculture equipment, forklifts, industrial engines. Coverage for powertrain, ABS and trailer. Complete system scan and advanced bi-directional testing. 11.6" Gorilla glass display. Includes Axone Plus tablet, Truck software, Off-Highway software, TXT Multihub VCI, 9-16 pin adapter, 1-year updates, 1-year technical information with wiring diagrams and repair information. OEM off-highway cables sold separately.

\$7,495.00 ~~\$9,545.00~~



TEXTTAXTPROM0C HD Scan Tool with Free Car Software & TruSpeed Subscription

Enhanced coverage for HD truck, bus & medium-duty. Also includes software coverage for Domestic, Asian, and European passenger vehicles. Coverage for powertrain, ABS and trailer. Complete system scan and advanced bi-directional testing. 11.6" Gorilla glass display. Includes Axone Plus tablet, Truck software, Car software, TXT Multihub VCI, 9-16 pin adapter, 1-year updates, 1-year technical information with wiring diagrams & repair information, and 1-year Motor TruSpeed Subscription.

\$7,495.00 ~~\$9,545.00~~

WORK BENCHES



A TUXPWB1600 Work Bench

Heavy-duty steel construction supports up to 1,600 lbs. Large 59.5" x 27.5" work bench area. Adjustable leveling leg stands. 2" retaining fence on three sides. Durable powder-coat finish. Overall size: 60"W x 28"L x 34.75"H

\$949.00 ~~\$995.00~~

B TUXPTDT1000 Tear Down Table with Drain

Integrated offset table drain & 3 gallon catch basin. Heavy-duty steel construction supports up to 1,000 lbs. Lockable storage drawer. Large 46.8"W x 31.5"L table top area. 4" swivel poly casters (2 locking). Durable powder-coat finish. Overall size: 47"W x 32"L x 41"H

\$1,595.00 ~~\$1,649.00~~

C TUXPTDTPW1000 Tear Down Table with Retractable Parts Washer

Retractable 3.5 gallon parts washer. Integrated offset table drain & 3 gallon catch basin. Heavy-duty steel construction supports up to 1,000 lbs. Lockable storage drawer. Large 46.8"W x 31.5"L table top area. 4" swivel poly casters (2 locking). Durable powder-coat finish. Overall size: 47"W x 32"L x 41"H

\$2,395.00 ~~\$2,795.00~~



CSEES1KM
750 lb. Manual Engine Stand

Designed for handling and positioning automotive engines up to 750 lbs. requiring repair or rebuild. Fully adjustable mounting head and adapter fingers. Long handle rotates mounting head. Sturdy 4 leg design for maximum stability supports engines up to 750 lbs. Compliant with the latest ASME PASE-2014 safety standard.

[See Dealer for Pricing](#)

CSE1500A
1,500 lb. Capacity Engine Sling with Crank

Works with engine cranes to help transport and position engines and other large vehicle components. 3-1/4" bearing-mounted hand crank adjusts the center of balance. Includes (4) chains with mounting brackets and 2-year warranty.

[See Dealer for Pricing](#)



3-1/2 Ton Service Jack, Blue Monster

CSESJ350NB - Blue
CSESJ350NG - Green

Super low 3.6" height and contoured arm access hard-to-reach lift points. Dual-pump pistons quickly reach service height. Premium seals, hydraulic fluid and pistons. Extra large front wheels for maneuverability. Max. height: 20.3"; Overall width: 14.25"; Overall length: 28"; Saddle diameter: 4.7"; Handle length: 50.5". Manufactured to comply with the ASME PASE-2019 Safety Standard.



[See Dealer for Pricing](#)

CSEEC2T
4,000 lb. Folding Engine Crane

Designed for raising, lowering, and transporting (in the lowered position) automotive engines and other heavy shop loads. Dual pump pistons rapidly reach maximum height 25% faster than single pump designs. Low profile 4.7" legs designed to fit under a wide range of vehicle frames. 4 boom positions adjust for optimal reach based on required capacity. Drop forged steel hook swivels 360° for ease of use during operations. Adjustable anchors, and tie down straps keep engine from swaying. Space saving design folds for convenient storage.


[See Dealer for Pricing](#)



CSEUH15PL
1,500 lb. Low-Height Underhoist Stand with Foot Pedal

Low height is ideal for supporting low hanging vehicle components. Useful during exhaust work, engine support and suspension work, especially when clearance is limited. 12" diameter base and contoured saddle. Foot pedal provides 1-1/4" height movement. Compliant with the latest ASME PASE-2014 safety standard. Min height: 35-1/4"; Max height 57-1/2"

[See Dealer for Pricing](#)



CSEUH15PA
1,500 lb. Underhoist Stand with Foot Pedal

Designed to support vehicle components. Ideal for exhaust system installations, engine support during transmission installation and shock absorber replacement. Bearing mounted spin handle and self-locking Acme™ threaded rod provide easy height adjustment. 12" diameter base provides stability. Lightweight, slender design allows for easy handling in tight areas. Contoured saddle supports most component configurations. Foot pedal model will lift a vehicle component weighing up to 400 lbs. another 1-1/4". Compliant with the latest ASME PASE-2014 safety standard.

[See Dealer for Pricing](#)




6 Ton Vehicle Stands

CSEVS6TBL - Blue
CSEVS6TNG - Neon Green

Wide four legged steel base for stability. Support column with ratchet teeth provides multiple height positions. Self-locking handle and pawl secures column in place. Large saddles for easy positioning of the load and support.

[See Dealer for Pricing](#)



CTJLP2NG 2 Ton Low Profile Jack

Ultra-low 2-3/4" minimum height. Low-profile design throughout the whole chassis allows full reach under low ground clearance vehicles. 24-1/4" maximum height. Overload and bypass safety valves prevent over extension. Rubber saddle pad and foam bumper pad protect vehicle from damage.



[See Dealer for Pricing](#)

CSEVS10TXTA 10 Ton Extra Tall Vehicle Stands

Extra tall jack stands to provide versatility for high lift points. Used in pairs for supporting trucks, trailers and equipment. High-strength steel with reinforced, tubular legs. Multiple height adjustments in 2" intervals. Large saddle with side lugs to support and position vehicle frame. Multiple hole locations in the support tube make pin facilitated height adjustment quick and easy. Height Range: 28.1" to 46.5"; Base: 15.7" x 15.7"; Saddle: 3.25" x 5". Compliant with the ASME PASE - 2019 Safety Standard



[See Dealer for Pricing](#)

CSEVS22T 22 Ton Pin Style Vehicle Stands

Designed for use in pairs supporting heavy-duty automotive vehicles after lifting. Large v-shaped saddle to support and position vehicle frame. Multiple hole locations in support tube make height adjustments quick and simple. Height adjustment pin is attached to stand to prevent loss. Compliant with the latest ASME PASE-2014 Safety Standard. For use in pairs only.



[See Dealer for Pricing](#)

CSEWD15 1,500 lb. Capacity Ratcheting Wheel Dolly

Supports up to 1,500 lbs and accommodates tires up to 12.8" wide. Heavy-duty casters move vehicle smoothly and locks on outboard wheels keep vehicle secured when in position. Maintenance-free, ratcheting lift mechanism and large foot pedal. Welded handle for transporting. Manufactured to comply with the ASME PASE-2019 Safety Standard.



[See Dealer for Pricing](#)

CTJT1KA 1,000 lb. Air Assist Telescoping Transmission Jack

Designed for the removal, installation and transporting of transmissions and transfer cases on vehicles that are supported by lifts. Minimum height of 35". Foot activated raising and lowering pedals. Manual operated second stage hydraulics provide precise and controlled raising and lowering of load. Universal saddle with four ratcheting arms. 2 locking casters to prevent moving. Nylon strap tie down secures the load to the saddle. Compliant with the latest ASME PASE-2014 safety standard.



[See Dealer for Pricing](#)

CTJFTS Fuel Tank Saddle Adapter


Use to remove, install and transport empty automotive gas tanks. Foam support pads can adjust for height, width and length to fit most gas tank configurations, up to 40 gallons. Ground wire assembly prevents static electric discharge on older metal tanks. (2) 8 ft. tie-down straps secure the tank to the adapter. Installs easily onto Cornwell® transmission jack saddles (CTJT1KA and CTJT1KH). Also compatible with most other transmission jacks.



[See Dealer for Pricing](#)

CTJTRJ22TA 22 Ton Truck Jack

Narrow chassis design fits easily between tandem wheels. Uni-weld hydraulic assembly provides longer service life and higher pump efficiency. Contoured chassis base raises wheels when under load to prevent damage. Air ram retraction and wiper seals protect the hydraulic system from contaminants. 8" diameter composite wheels for easy maneuvering. Convenient lever sets handle in 3 positions for usage, transport, and storage. Front positioning handle assists in positioning jack under lift point. Compliant with the latest ASME PASE-2014 safety standard.



[See Dealer for Pricing](#)

VSGF10N500MBL

10,000 lbs. Two Post Lift, Symmetrical, 3-Stage Front Arms

10,000 lbs capacity. Symmetrical column design. Versatile 3-stage front and 2-stage rear arms. Top mounted Direct-Pull lifting technology. Cylinder rod concealed inside carriage. Adjustable width options. Single point lock release. Includes low-profile drop-in adapters, adapter extensions (1.75", 3.5", & 5") and storage bracket. Powder coated finish. ALI Certified. Maximum Rise: 76'-1/4"; Overall Width: 131" or 137"; Drive through clearance: 99" or 105"; Voltage/Amps: 208V/230V, 17 amps; Ceiling Height required: 144"



[See Dealer for Pricing](#)

TUXTP11KCDX

11,000 lbs. Two Post Lift, Asymmetric

User-friendly bi-symmetric configurable arms, 3-stage front arms and symmetric columns. Direct Drive pull cylinders. Single point lock release. Rubber door guards and spin up low profile lift pads. Includes 2" and 4" stackable truck adapters. Max Lift Height 71"; Width Between Columns 116"; Drive Thru Clearance 104"; Height Overall 144"



[See Dealer for Pricing](#)

VSG1000MCLMFBK

1,000 lb. Motorcycle Lift

Great for bikes, ATVs, lawnmowers, golf carts and more. Fully portable. Foot pedal controlled air valve. Two 12" removable side platform extensions create a 48" wide runway deck. Adjustable front wheel vise. Drop Tail model (VSG1000MCLDTMFBK) also available.



[See Dealer for Pricing](#)



VSG10N500MBL

10K, 3-Stage Spot-Rite™ Symmetrical Arms

Symmetrical column design. Spot-Rite™ 3-stage arm allows positioning the vehicle doors in front of or behind the columns. Adjustable width options. Includes (4) low-profile drop-in adapters, (4) 3.5" extensions, (4) 5" extensions and adapter storage bracket. ALI Gold Certified. Max Rise: 76'-1/4"; Required Ceiling Height: 144"

[See Dealer for Pricing](#)

VSG1000MCLDTMFBK

Portable 1,000 lb. Motorcycle Lift with Drop Tail


Great for bikes, ATVs, lawnmowers, golf carts and more. Two 12" removable side platform extensions create a 48" wide runway deck. Adjustable front wheel vise. Foot pedal controlled air valve. Removable rear drop tail panel for wheel and tire service. Includes Wheel Service Jack.



[See Dealer for Pricing](#)

TUXLR10KTLPAD 10,000 lb. Commercial Low-Rise Pad Lift

10,000 lbs capacity. Low rise, commercial grade pad lift. Ideal for express tire & wheel service. Surface mount install configuration. Integrated outer frame & ramps provide drive-on & off clearance for wide vehicles. Latch release handles on each side of lift. Dual hydraulic lift cylinders. Diamond plate ramps. Durable rubber platform contact pads. 3 locking height positions. Metal hose covers 55"l (2ea). Includes standard (4ea) HD multi-position height adapters & (4ea) 1.5" rubber pads. Power unit pedestal stand. Durable powder coat finish.



[See Dealer for Pricing](#)



TUXMR6K48X 6,000 Lb. Portable Mid-Rise Lift

Extended, sliding adjustable radius arms can be used with cars and light-duty trucks. Portable trolley supports pump and is used to move lift. Twin hydraulic cylinders and scissor-design for maximum strength and stability. Multiple safety lock positions. Includes swivel pads. Overall Length 96-1/2"; Overall Width 39-5/8"- 62"; Lifting Height with Adapters 54"; Min. Pad Height 7"; Power 115V – 15 Amp – 1PH

[See Dealer for Pricing](#)

TUXLTPT2500AHX 2,500 lbs. Powertrain Lift Table, Air / Hydraulic

Innovative, portable scissor lift to install powertrain components. Air system hand controls for lifting, locking and lowering. Compressed air / HP hydraulic operation. Multi-adjustable powertrain platform with expandable length, tilt & height adjustments. Locking swivel & directional poly casters, tool tray and removable hand bar. Integrated air gauge with water separator.

Platform Size: 23.6"W x 31.5 - 36.7"L; (3) Locking Height Positions: 49", 61", 68"; Max Platform Height: 72"; Min Platform Height: 35"; Overall Size: 71.3"L x 33.5"W. Includes (4) tie-down ring eyelets and (1) HD ratchet strap. Optional support adapter kit (p/n TUXLTPTSAEK).



[See Dealer for Pricing](#)



TUXM1500CHR 1,500 lb. Motorcycle Lift w/ Drop Out Panel, Pneumatic, High Rise

1,500 lbs. capacity with 38-1/2" max lift height. 88"L x 31"W platform table and 50"W with side extensions. Min height 6-3/4". Air/hydraulic pump. Built-in drop-out panel. Ideal for motorcycles, snowmobiles, ATVs, etc. Includes front wheel vise & wheel stop, rear service support poles, side extensions and ramps.

[See Dealer for Pricing](#)



Complete Wireless CCD Wheel Alignment System

CMBCDWA1100CWAS - With Wheel Stands **\$22,395.00** ~~\$23,895.00~~

CMBCDWA1100 - Without Wheel Stands **\$19,495.00** ~~\$21,700.00~~

8-Sensor CCD alignment system for cars and light trucks. User-friendly software provides graphical instructions and guides the user through the alignment process. Extensive vehicle database spans 30+ years and over 40,000 vehicles. Featherweight wheel clamps with 12"-24" range (optional clamp extensions also available). Rechargeable Li-ion sensors with built-in Wi-Fi and shock-proof accelerometer provide up to 24hrs of work time. Portable wheel stands with turn plates align all vehicles including independent four-wheel suspensions and long wheel base light trucks. Made in Italy, final assembly in USA. Stands made in the USA. Includes work/storage station, Windows PC, 27" TFT monitor, USB keyboard, (4) wheel sensors / clamps, brake pedal depressor, steering wheel holder, (4) wheel stands w/ turn plates.

LCH702020112TF X613 Mobile Wheel Aligner with Throttle V Tablet, Full Auto Software

Works with drive-on, 4-post and scissor lifts. Performs high-precision, 4-wheel alignments on most cars and light trucks. Magnetic measuring units attached to sides of lift during alignment and can be stored when not in use. Plug-and-play operation does not require installation, wiring or calibration. Eliminates the need for beams and cabinets, reducing space required for operation. Patented wheel clamp design with built-in scale for pre-adjustment. Measurements are wirelessly transmitted to diagnostic tablet. X-431 Throttle V Professional Diagnostic Scan Tool features 13.6" screen and covers a wide variety of vehicle models with powerful diagnostic functions such as read/erase codes, live data, and bi-directional tests. Includes (2) magnetic measuring units, (4) wheel clamp targets, (2) Turntables and X-431 Throttle V Professional Diagnostic Scan Tool.

\$15,495.00



CMBCSM825EVOA Swing Arm Tire Changer with Press Arm

Swing Arm Tire Changer with high-performance press arm to handle stiff side wall tires and custom wheels. Features dual table clamping cylinders with value-added specifications for protection of alloy wheels. Dual stage inflation system and custom mount/demount head with replaceable plastic inserts to protect wheels. Foot operated bead breaker. Final assembly and tested in the USA. Air Power Supply: 110V 50/60 Hz + Air; Air Pressure: 145 PSI (10 bar); Rim Diameter (Ext.): 12"-24"; Tire Diameter: 44"; Max. Wheel Width: 15"; Turn Table Speed: 8-15 rpm.



\$7,495.00 ~~\$8,295.00~~

CMBCER65 Computerized Wheel Balancer with 17" Monitor

Automatic gauge detects distance and diameter (up to 28" rims). LA sonar for width measurement enables immediate entry of wheel data. Automatic Approach stops the wheel around 15° from the counterweight location. Electromagnetic brake locks wheel in position. Laser spotter pinpoints the exact location for stick-on weights. Preset programs SPLIT, OPT, and ALU. 17" TFT flat screen monitor. Power Supply: 115V, 1ph; Max. Rim Diameter: 30"; Max. Rim Width: 20"; Max. Tire Diameter: 42"; Max. Wheel Weight: 165 lbs.



\$7,695.00 ~~\$8,495.00~~

CMBCECOMBO Swing Arm Tire Changer with Press Arm & Wheel Balancer Combo

A traditional swing arm tire changer (CMBCSM825EVO) with dual table clamping cylinders and dual stage inflation system. Power Supply: 110V + Air; Rim Diameter (Ext.): 12" - 24"; Tire Diameter: 44"; Max. Wheel Width: 15"; Turn Table Speed: 8-15 rpm. Space-Saver wheel balancer (CMBCEZ10) with exclusive direct weight placement. 3D inner data entry arm uses Virtual Sonar and AutoAdaptive enhancement software to provide a faster, higher quality wheel balance service. Power Supply: 110V, 1ph, 50/60Hz; Balancing Speed: 100 rpm; Maximum Rim Width: 20"; Maximum Rim Diameter: 30"; Maximum Tire Diameter: 36"; Max Wheel Weight: 165 lbs.



\$11,995.00 ~~\$12,995.00~~



GTCGBB6L2 Bead Bazooka® with 2" Release, 6L RAR

The most advanced bead seater ever made. Utilizes an upgraded trigger-operated Rapid Air Release (RAR) valve technology which provides more power in an ultra-compact design. Anti-corrosion interior tank coating. Compatible with motorcycle, car, light truck, and heavy commercial vehicles.

\$499.95

WELDING HELMETS



	PART #	DESIGN	VIEW AREA	VARIABLE SHADE	GRIND MODE	ARC SENSORS
A	MMW58VG	Green Goblin	3.86" x 1.73"	9-13	✓	2
B	MMW56VG	Skeleton	3.86" x 1.73"	9-13	✓	2
C	MMW59VG	Blue Skulls	3.86" x 1.73"	9-13	✓	2
D	MMW710DVG	NHRA	3.82" x 1.85"	5-13	✓	4
E	MMW67VG	Blue w/ Racing Strip	3.82" x 2.44"	9-13	✓	2
F	MMW77VG	American Flag	3.82" x 2.44"	5-13	✓	4
G	MMW811VG	Skull & Flag	3.82" x 3.19"	5-13	✓	4
H	MMW820DVG	Flying Eye	3.82" x 3.19"	5-13	✓	4
I	MMW900PVG	American Greatness	180°	8-13	✓	7

Tig Welding Gloves Gray

MMWAG24CL - L
MMWAG24CXL - XL

Superior top grain pearl kidskin leather. Improved grip from the straight thumb. 4" cuff for extra protection of the lower arm. DuPont™ Kevlar® stitching for enhanced strength and protection. Unlined to boost the feel and dexterity.

\$13.49



Mig/Stick Welding Gloves Blue

MMWAG1080L - L
MMWAG1080XL - XL

Premium side-split cowhide. Welled fingers make it more difficult for stitching to come apart. Length: 14". Cotton/foam lined back for added heat protection.

\$13.95



MMWWG1 Welding Goggles

Auto-darkening goggles are a unique protective alternative to a traditional welding helmet. The lightweight, low profile form makes it ideal for tight clearance environments. 4 sensors and 5-13 lens shade rating on a dual coated bronze lens. Includes a replaceable CR2450 battery.

\$249.95 ~~\$329.95~~



MMWAGHOTHEAD2.0 USB Rechargeable Welding Helmet Fan

Welding helmet ventilation and cooling system. Universal clip on attaches to nearly every welding helmet. Activated charcoal filter and positive pressure reduces fumes by up to 90%. Lightweight at just over 5 ounces.

\$129.95 ~~\$132.13~~



Welding Jacket

MMWFRJM - M
MMWFRJL - L
MMWFRJXL - XL
MMWFRJ2XL - 2XL

Vented back. Barracuda collar. Snap front. Dual soapstone/scribe pockets. Snap cuffs.

\$69.95



MMWBS250T0 Oxyacetylene Welding Outfit

Medium-duty outfit for general purposes. Can weld up to 1/4" and cut up to 1/2". Includes: Torch handle with check valve, cutting attachment, Oxygen and Acetylene regulators, cutting tip, welding nozzle, T-Grade 12 foot twin hoses, goggles, and striker

\$389.95





MMWMP143I 120V MIG & Flux Welder

Inverter-powered wire feed welder for flux core and MIG welding plus a DC stick welder. It uses leading edge Inverter Technology to provide high quality welds that are crisp, clean, and consistent. It comes complete with a regulator and gas hose for easy connection for MIG welding plus a weld cable. Directly connect this unit to a 120V, 20A AC receptacle. It is designed to weld materials as thin as 24 gauge all the way up to 3/16" in a single pass.

\$699.95 ~~\$799.95~~

MMWMP185DV Dual Voltage Mig & Flux Welder

Inverter-powered, dual voltage, wire feed welder for flux core and MIG welding plus a DC stick welder. It uses leading edge Inverter Technology to provide high quality welds that are crisp, clean, and consistent with plenty of power. It comes complete with a regulator and gas hose for easy connection for MIG welding. Directly connect this unit to a 230V NEMA 6-50R receptacle or attach the supplied 120V adapter cord to operate off of 120V power. It is designed to weld materials as thin as 24 gauge all the way up to 3/8" in a single pass. This machine is spool gun ready (optional), capable of welding aluminum with 4" spools of aluminum wire.

\$1,495.00 ~~\$1,695.00~~



MMWMP700DVI Dual Voltage Plasma Cutter

Cuts up to 11/16" steel at a travel speed of 10" per minute. Cuts all electrically conductive materials. Cuts a narrow kerf that results in a smaller heat affected zone for reduced warping. Pilot arc for easy starts. Built-in air pressure adjustment and gauge, indicator lights and thermal overload protection. Built in water separator. Input power: 120V, 25A 50/60 Hz single phase; 230V, 40A 50/60Hz single phase. Output Voltage: 150 to 40A. Duty cycle: 40% @ 25A (120V Power); 60% @ 40A (230V Power). Required Compressed Air: 4.5 CFM @ 60

\$2,095.00 ~~\$2,295.00~~

MMWMP242DVIK 4 in 1 Dual Voltage Welder

Multi-Process, Dual Voltage portable DC Inverter welder with LCD interface. Capable of welding solid wire (steel, stainless and aluminum) with shielding gas, flux core wire, DC stick, and lift arc DC TIG on steel and stainless steel materials. Comes complete with a spool gun for aluminum welding. Dual Voltage, 120V, 20A 50/60 HZ, and 230V, 36A 50/60 HZ Single Phase Input Power, 40 to 200A Output. Duty cycle, 40% @ 90A (120V) and 20% @ 200A (230V).

\$2,695.00 ~~\$2,995.00~~



MMWUWC4 Heavy-Duty Welding Cart

Can be used for MIG, Stick, TIG welders and Plasma cutters along with a cylinder of shielding gas for the application. 400 lb. capacity. 18 gauge steel construction and powder coat finish. Shelf Dimensions: 15-1/4" x 22-1/2" top shelf and 15-1/2" x 21-7/8" bottom shelf. 18" clearance between bottom and top shelves.

\$339.95

MMWMP251I 250 Amp Mig Welder With Spool Gun

A versatile 230V, 250A multi-process welder that comes with MIG and Spool guns with a built in single/dual cylinder rack. Features a Synergic LCD control that allows the operator to select processes and weld settings along with ability to load and save weld programs. Accepts a wide variety of wire spools. It is designed to weld materials as thin as 24 gauge all the way up to 1/2" in a single pass. The Spool Gun is capable of welding aluminum with 4" spools of wire. Comes with 12 ft. MIG gun, 12 ft. Spool gun, two dual gauge regulators, two gas hoses, and extra contact tips and drive rolls. MIG wire not included.

\$3,795.00 ~~\$3,995.00~~



MMWC2XL Universal Welding Cart

Top shelf: 23-3/4" x 12-3/4". Holds 7-1/2" diameter cylinders. Fold down front handle for towing. 110 lbs. capacity.

\$249.95

MMWTIG242DVI Tig Welder AC/DC, Dual Voltage

Dual voltage, inverter powered AC and DC TIG, Pulse TIG and DC Stick welder. This unit is intended to be used on a 50-amp 230V AC circuit or 120V, 20A AC circuit, without the use of an extension cord. This machine comes complete with a TIG Torch, a Foot Pedal, regulator/flowmeter with inert gas hose, a ground cable and clamp, and an Electrode Holder with cable.

\$2,895.00 ~~\$3,295.00~~



MMWC3 Welding Cart with Locking Door

Can be used for MIG, Stick, TIG welders and Plasma cutters along with a cylinder of shielding gas for the application.

\$299.95



AIR COMPRESSORS



ACC318VL
7.5 HP 2 Stage
Compressor
\$4,995.00



ACC4916VS
5 HP 2 Stage
Compressor
\$2,395.00



ACC4918VS
5 HP 2 Stage
Compressor
\$2,795.00



ACC6061V
3.5 HP Single Stage
Compressor
\$1,695.00

	ACC318VL	ACC4916VS	ACC4918VS	ACC6061V
HP	7.5	5	5	3.5
VOLTAGE OR ENGINE	230/1 PH	230/1PH	230/1PH	230/1PH
PUMP STAGES	2 Stage	2 Stage	2 Stage	1 Stage
MAX. PSI	175	165	175	130
ACFM @ 100 PSI	25.25	16.1	15.33	12.35
ASME TANK	80 Gallon	60 Gallon	80 Gallon	60 Gallon
DIMENSIONS	39"L x 24"W x 77"H	23"L x 27"W x 70"H	36"L x 24"W x 73"H	30"L x 22"D x 68"H
SHIPPING WEIGHT	479 lbs.	261 lbs.	382 lbs.	261 lbs.



ACC72180V2FF
Deluxe 7.5 HP 2
Stage Compressor
\$6,195.00



ACC5024VP
2 HP Single Stage
Compressor
\$1,395.00



ACC3G3HHL
13 HP 2 Stage
Compressor
\$5,595.00

ACC72180V2FF	ACC5024VP	ACC3G3HHL
7.5	2	13
230/1PH	120/2PH	Honda
2 Stage	1 Stage	2 Stage
175	145	175
24	7	25.25
80 Gallon	20 Gallon	30 Gallon
27.4"L x 40" W x 69.8" H	22"L x 21.5"W x 47.8"H	44"L x 19"W x 45"H
694 lbs.	180 lbs.	369 lbs.

LJ9661617 5-Ton Bench Top H-Press

Pressure gauge for direct pressure readings. Easily adjustable table for quick height changes between applications. Holes in side frames allow for insertion of long material. Fully-welded heavy steel plate frame for maximum rigidity. Factory preset relief valve to prevent exceeding maximum pressure capacity. Table Weight Capacity: 500lbs. Adj. between Table Pin to Holes: 4.72 in. Distance between channels: 3.39 in. V-Block Weight: 6.6 lbs.

\$1,269.95 ~~\$1,412.00~~



LJ9661618 5-Ton Floor H-Press

Pressure gauge for direct pressure readings. Easily adjustable table for quick height changes between applications. Holes in side frames allow for insertion of long material. Factory preset relief valve to prevent exceeding maximum pressure capacity. By-pass hole prevents excessive ram extension. Single acting cylinder design for improved operation. Table Weight Capacity: 500lbs. Adj. between Table Pin to Holes: 4.72 in. Distance between channels: 3.39 in. V-Block Weight: 6.6 lbs.

\$1,453.95 ~~\$1,616.00~~



LJ9690201 15" 16-Speed Floor Step Pulley Drill Press

Quick change vertical depth stop for repetitive accurate operations. Rack and pinion table height adjustment. Front mounted locking rocker switch to prevent unauthorized use. 5/8" chuck and key.

\$1,041.95 ~~\$1,158.00~~



Wood/Metal Vertical Band Saw

LJ9693115 - 15" **\$4,235.00** ~~\$4,706.00~~

LJ9693118 - 18" **\$5,587.00** ~~\$5,882.00~~

Unitized welded steel frame construction. Cast blade wheels. Large ground cast iron work table that tilts up to 45°. Adjustable precision bearing blade guides. 4" dust port. Rip fence. Miter gauge. Chip blower & chip chute. 15" comes with (1) 1/2" - 14 TPI metal blade, and (1) 1/2" - 6 TPI wood blade.



10" Metal Cutting Vertical Band Saw

LJ9693128 - Saw **\$888.95** ~~\$936.00~~

LJ9693129 - Stand Only **\$86.95** ~~\$92.00~~

3-speed belt driven system. Machined cast iron table with miter gauge slot. Balanced cast blade wheels. Includes rip fence assembly and miter gauge.



Copper Jaw Caps (Pr.)

LJ9699760 - 5" **\$148.95** ~~\$165.00~~

LJ9699761 - 5.5" **\$153.00** ~~\$170.00~~

LJ9699762 - 6" **\$180.00** ~~\$200.00~~

LJ9699763 - 6.5" **\$182.95** ~~\$204.00~~

LJ9699764 - 8" **\$209.95** ~~\$233.00~~

LJ9699765 - 8.5" **\$214.95** ~~\$239.00~~

Designed to protect and avoid marring the surface of softer materials or fine workpieces. Convert your serrated jaw faces to a smooth surface. Polished faces and pliable copper extensions for a sure-grip fit on any make of vise.

POWERGRIND-XP Bench Grinder

LJ9692062 - 6" **\$269.95** ~~\$285.00~~

LJ9692081 - 8" **\$421.95** ~~\$444.00~~

Provides smooth, quiet power for all grinding, cleaning, deburring, chamfering and sharpening jobs. Designed to handle heavy stock removal to finishing applications these powerful units are built for continuous, efficient use all day, every day. Heavy-duty capacitor motors that supply the extra current required during the start-up and operation under load. Extended wheel-to-wheel clearance which allows longer items to be ground easily. Dynamically balanced rotors and sealed bearings to minimize vibration and ensure smooth running. Large adjustable tool rests for safe, efficient tilt and angle grinding. Adjustable safety eye shields, and spark guards easily positioned with hurricane bolts. Exclusive single port dust collection system. Maximum performance, accuracy and value. CSA approved OSHA compliant.



LJ9690101 Cast Iron Bench Grinder (Stand Only)

Designed to accommodate 6", 7", 8", and 10" bench grinders and bench buffers, and 1", 2" and 4" belt grinders. Base and top are made of heavy-duty cast iron. Adjustable steel column is 3-1/2" diameter. Built-in water pot provides quenching for work piece. Unique design allows mounting with 4 bolts.

\$212.95 ~~\$225.00~~



Heavy-Duty Professional Bench Vice

LJ9699774 - 4" **\$158.95** ~~\$177.00~~

LJ9699775 - 5" **\$215.95** ~~\$240.00~~

LJ9699776 - 6" **\$301.95** ~~\$336.00~~

LJ9699777 - 7" **\$429.95** ~~\$479.00~~

High-quality industrial duty vises are made from SG ductile cast iron which offers a remarkable strength to weight ratio. Built to handle some of the toughest applications, these vises are guaranteed unbreakable and have all the features necessary to hold a workpiece securely in place.

Super Duty Combination Pipe & Bench Vice

LJ9699755 - 5.5" **\$815.95** ~~\$907.00~~

LJ9699756 - 6.5" **\$900.00** ~~\$1,000.00~~

LJ9699758 - 8.5" **\$1,303.95** ~~\$1,449.00~~

Size: 5.5". Jaw Width: 5.5". Jaw Opening: 8-1/2". Throat Depth: 4-1/2". Max Clamping Force: 65,000 lbs. Pipe Jaw Capacity: 1/4 - 3-1/2". Weight: 73 lbs.



QHESMC37V Hessaire MC37V 3,100 CFM 3-Speed Portable Evaporative Cooler

3,100 CFM Evaporative Cooler is compact in size, pleasing in aesthetics and the performance exceeds coolers of a much larger size. This performance is achieved through expanding air-intake areas to the hi-density XeL50 rigid media. These coolers have 3 media panels instead of a single panel found on most mobile coolers.

[See Dealer for Pricing](#)



QHESMC61V Hessaire MC61V 5,300 CFM 3-Speed Portable Evaporative Cooler

The perfect solution for cooling down hot, dry spaces. As air passes through the water-soaked filter pads, it drops the temperature while adding refreshing humidity to dry air. has a 14.6-gallon water tank creating up to 3-4 hours of use. The built-in float valve and garden hose adapter allow for easy connection and continuous water flow without overflowing your tank. 5,300 CFM, 1600 sq. ft., 3-Speed Fan, 63 dB, Dark Gray

[See Dealer for Pricing](#)



QHESMC92V-FPD Hessaire Evaporative Cooler 11000 CFM

HESMC92V-FPD is our largest cooler in the Hessaire line up. It is ideal for warehouses and large areas. It weighs 126 lbs empty, and is 46" wide by 57" tall. Portable enough to easily move around or transport. This model also features the air sweep function. It provides 11000 cfm and cools an area up to 3000 sq. ft.

[See Dealer for Pricing](#)



QKTI77741 24" Direct Drive Industrial Tilting Drum Fan

24" Direct Drive Industrial Tilting Drum Fan. 1/2 HP energy efficient motor. 2-Speeds: 7850 CFM (High), 5,250 CFM (Low). 3-blade aluminum design provides even airflow for quiet operation. Direct air flow where it is needed with tilt feature. Two handles for easy maneuverability. Black powder coated finish. 6 ft power cord. 120V / 60Hz / 2.5A. 22" x 10" x 21", Weight 30.2 lbs. cUL listed.

[See Dealer for Pricing](#)



QKTI77731 30" Wall Mount Industrial Fan

30" Wall Mount Industrial Fan with three speeds. 1/2 HP energy-efficient motor. 3-Speeds: 7930 cfm (High), 6144 cfm (Medium), 2880 cfm (Low). 3-blade aluminum design provides even airflow for quiet operation. Black powder coated finish. 6 ft power cord. 120v/60Hz/2.4 Amps. 32"X32"x10", 37.4 lbs. cUL listed.

[See Dealer for Pricing](#)



QKTI77703 Utility Floor Blower 800 CFM

Power by a 1/4 HP motor, 2.3 amps producing 800 CFM. 4 Drying Positions: (0 deg., 20, Kickstand 45 deg. & 90 deg.) Can be stacked and daisy chained for additional drying performance. Housing construction: Heavy duty, plastic injection mold. Volts/Cycle:115V/60HZ. Power cord length:10FT. Unit weight:9.9lbs. Unit dimensions: (LXHXW):10.7x12.4x13.3"

[See Dealer for Pricing](#)



30" Pedestal Industrial Fan

QKTI77730 - Still
QKTI77734 - Oscillating

[See Dealer for Pricing](#)

30" Pedestal Industrial Fan with three speeds. 1/2 HP energy efficient motor. 3-Speeds: 5320 cfm (High), 4272 cfm (Medium), 2880 cfm (Low). 3-blade aluminum design provides even airflow for quiet operation. Height adjustment up to 76 inches. Black powder coated finish. 6 ft power cord. 120v/60Hz/1.4 Amps. 38"x32.3X8", 47 lbs. cUL listed.



QKTI77742 42" Belt Drive Industrial Drum Fan

42" Belt Drive Industrial Drum Fan with two speeds. 7/8 HP energy efficient motor. 2-Speeds: 14,800 cfm (High), 11,250 CFM (Low). 4-blade aluminum design provides even airflow for quiet operation. 8" Rubber wheel for easy maneuverability. Black powder coated finish. 6 ft power cord. Overheating cut-off protection. 44.3" x 14.5" x 45.3, Weight 95 lbs. cUL listed.

[See Dealer for Pricing](#)



QPORPACA05001A1 Portacool Apex 500

Cool 500 sq. ft. in a flash! Achieve maximum cooling without sacrificing space. The slimmer profile and new front Intake allows you to place your Portacool cooler against any wall. High-velocity cooler delivers a refreshing breeze up to 60 feet away. Worry-free operation with water level indicators, automatic shut-off, alerts and a 22 gallon water reservoir.

[See Dealer for Pricing](#)



QPORPACA07001A1 Portacool Apex 700

Cool 700 sq. ft. in a flash! Achieve maximum cooling without sacrificing space. The slimmer profile and new front Intake allows you to place your Portacool cooler against any wall. High-velocity cooler delivers a refreshing breeze up to 55 feet away. Worry-free operation with water level indicators, automatic shut-off, alerts and a 13 gallon water reservoir.

[See Dealer for Pricing](#)



QPORPACA12001A1 Portacool Apex 1200

Worry-free operation with water level indicators, automatic shut-off, alerts and a 40 gallon water reservoir. Powered by Portacool CoolSync™. Complete digital display with Wi-Fi capability. Control your environment from anywhere. 19" fan assembly to cool up to 1200 sq. ft. and the high-velocity cooler delivers a refreshing breeze up to 40 feet away.

[See Dealer for Pricing](#)



QPORPACA20001A1 Portacool Apex 2000

Worry-free operation with water level indicators, automatic shut-off, alerts and a 45 gallon water reservoir. Powered by Portacool CoolSync™. Complete digital display with Wi-Fi capability. Control your environment from anywhere. 24" fan assembly to cool up to 2000 sq. ft. and the high-velocity cooler delivers a refreshing breeze up to 60 feet away.

[See Dealer for Pricing](#)



QPORPACA40001A1 Portacool Apex 4000

Worry-free operation with water level indicators, automatic shut-off, alerts and a 55 gallon water reservoir. Powered by Portacool CoolSync™. Complete digital display with Wi-Fi capability. Control your environment from anywhere. 36" fan assembly to cool up to 4000 sq. ft. and the high-velocity cooler delivers a refreshing breeze up to 50 feet away.

[See Dealer for Pricing](#)



ALL NEW SELECTIONS!



SCAN
to see our
full line



Professional Grade T Shirt

- CGPROTM** - M
- CGPROTL** - L
- CGPROTXL** - XL
- CGPROT2XL** - 2XL
- CGPROT3XL** - 3XL

Cornwell® Tools Professional Grade Tee. Pre-shrunk 50/50 ring-spun cotton/polyester. Tear away label for added comfort. Imprinted on the front. Color: Heather Charcoal.

\$16.95 ~~\$17.95~~



CGFPH Flag Patch Camo Hat

This mesh back hat features a subtle camo pattern on the bill and an American flag patch on the front. Side panel is imprinted with the Cornwell® Ironman logo. Snapback closure.

\$17.95



CGPERH Performance Mesh Hat

Breathable Performance Mesh Fabric wicks moisture for a cool comfort fit. Fabric resist fading, sweat stains and shrinkage. Embroidered on the front with a Cornwell® Ironman graphic. The back is embroidered with a Cornwell Tools logo and the side panel features the American flag. Snapback closure.

\$19.95 ~~\$20.95~~

Cornwell® Patriotic T Shirt

- CG4TH25M** - M
- CG4TH25L** - L
- CG4TH25XL** - XL
- CG4TH252XL** - 2XL
- CG4TH253XL** - 3XL

Pre-shrunk 100% ring-spun USA cotton. Grab this comfy tee and celebrate Independence day in style! Left chest is imprinted with the Cornwell® Ironman logo. The back features a large USA flag graphic. Color: Navy Blue.

\$18.95 ~~\$19.95~~

IRONMAN ON FRONT



CGGOLFT
Cornwell® Golf Towel

This large (16" x 25") golf towel is constructed with a waffle weave pattern that has a grittier (yet non-abrasive) surface for fast club cleaning, water absorption and quick drying. Metal hook attachment. Imprinted with a full color, Cornwell® Tools graphic.

\$11.95 ~~\$12.95~~



CGTORCH
Cornwell® Torch Lighter

Multifunction Torch Lighter. This dual-arc lighter is practical and useful. Features include a pop-up lid with buckle, waterproof case and LED flashlight. Imprinted with the Cornwell® Ironman logo. Packaged in a gift box.

\$20.95 ~~\$22.95~~



CGTVIBE
19oz. Vibe Tumbler

19 oz. Black Stainless Tumbler. Features a spill-resistant, press-on lid with a thumb-slide opening. Printed with a Cornwell® "summer vibe" graphic.

\$9.95 ~~\$10.95~~



CGCARGO
Cornwell® Cooler/Trunk Organizer

Features three large compartments to organize, transport or store belongings. Removable cooler lining for easy cleaning and exterior mesh pockets for extra storage. Collapses flat and clips secure when not in use. Approximately 26"L x 12.5"W x 11.25"H. Color: Navy Blue

\$54.95



CGTABLE
Cornwell® Collapsible Outdoor Table

Collapsible Camping Table great for sporting events, camping, patio furniture, and indoor and outdoor use. Assembles in less than a minute and folds down for easy storage and portability. Made with 600D polyester. Holds up to 4 drinks conveniently in cup holders. Sturdy aluminum metal stand. Easy to clean. Includes a carrying bag. Table size is approximately 24"H x 29"D

\$45.95 ~~\$50.95~~



CGFLOAT
Cornwell® Pool Float

This lightweight swimming pool float makes a great summer accessory for your next beach or pool party. UV and tear resistant. Use electric air pump or manual pump to easily inflate or deflate the float. Designed with two built-in cup holders and comfortable headrest. Decorated with a Cornwell® Tools 4th of July patriotic graphic. Approximately 50" diameter. PVC vinyl.

\$29.95 ~~\$31.95~~

2"x 2" Capacity Magnetic Base Drill

MGBMB50 - Manual **\$1,665.00** ~~\$1,850.00~~

MGBMBTV50 - Reversible **\$2,300.00**

Electro magnetic drilling systems. Twin rail slide system maximizes slide stability. Slide has no contact with the main body of the machine. Reduced friction wear. Reduced cutter breakage. Better stability & tolerance. Improved cutter life and hole quality. 2" cutting depth.



4"x 8" Capacity Magnetic Base Drill

MGBMB100 - Manual **\$2,700.00** ~~\$3,000.00~~

MGBMBTV100 - Reversible **\$3,500.00**

Electro magnetic drilling systems. Twin rail slide system maximizes slide stability. Slide has no contact with the main body of the machine. Reduced friction wear. Reduced cutter breakage. Better stability & tolerance. Improved cutter life and hole quality. 2" cutting depth.



MGBLOPRO

1-3/4" x 2" Capacity Low Profile Magnetic Base Drill

Electro magnetic drilling systems. Twin rail slide system maximizes slide stability. Slide has no contact with the main body of the machine. Reduced friction wear. Reduced cutter breakage. Better stability & tolerance. Improved cutter life and hole quality. 2" cutting depth.

\$1,620.00 ~~\$1,800.00~~



MGBMB38

1-9/16" x 4" Capacity Magnetic Drilling Machine

Electro magnetic drilling systems. Twin rail slide system maximizes slide stability. Slide has no contact with the main body of the machine. Reduced friction wear. Reduced cutter breakage. Better stability & tolerance. Improved cutter life and hole quality. 2" cutting depth.

\$1,215.00 ~~\$1,350.00~~

JOIN THE CLUB. STEP ON A TRUCK.

BE YOUR OWN BOSS

cornwellfranchise.com or call 1-800-321-8356



1-3/8" x 2" Capacity Magnetic Base Drill

MGBXL35 - Manual **\$783.00** ~~\$870.00~~

MGBXL35AI - Automatic **\$1,575.00** ~~\$1,750.00~~

Electro magnetic drilling systems. Twin rail slide system maximizes slide stability. Slide has no contact with the main body of the machine. Reduced friction wear. Reduced cutter breakage. Better stability & tolerance. Improved cutter life and hole quality. 2" cutting depth.