



CORNWELL[®] **QUALITY TOOLS**

20 EQUIPMENT FLYER
26 JULY-AUGUST

NEW LOOK,
SAME
PREMIUM
FEATURES!

Stay
COOL
This Summer!

**CORNWELL
GEAR INSIDE!**



RECOVER & RECYCLE PREMIUM A/C MACHINES

New Panels!



RAC1234YF

\$8,495.00 ~~\$8,695.00~~

RAC34788NI

\$5,995.00 ~~\$6,595.00~~

RAC34288NI

\$4,795.00 ~~\$5,295.00~~


	RAC1234YF	RAC34788NI	RAC34288NI
Refrigerant	R1234yf	134a	134a
Recovery Performance	98.5%	98.5%	98.5%
Vacuum Pump	3 CFM, 2-Stage	3 CFM, 2-Stage	1.5 CFM, 2-Stage
Fully Automatic Operation	✓	✓	
Vacuum Leak Test	✓	✓	
Hose Flush to Avoid Cross-Contamination	✓	✓	
Automatic Internal Tank Refill	✓	✓	
Oil Injection		✓	
Display Size	4.3"	4.3"	4.3"
Filter/Drier Capacity	150 lbs.	150 lbs.	150 lbs.

CORNWELL® ADVANTAGES

2-Year Warranty (Parts & Labor)	✓	✓	✓
Includes Dust Cover	✓	✓	✓
Includes Refrigerant/Oil Capacity Database	✓	✓	
UV Dye Injection		✓	
Hose Length	12'	12'	12'

R134a Manifold Gauge Set with 72" Hoses


Aluminum manifold block, anti-flutter gauges, 72" hoses and standard couplers.



MCL289772 **\$149.95** ~~\$169.95~~

R1234yf Manifold Gauge Set

Anti-flutter gauges smooth out needle movement. Piston type free-floating valves reduce o-ring wear. Red and blue nylon barrier hoses with 12mm-m fittings on both sides meets SAE J2888, EPA, SAE and UL standards. Yellow hose with 12mm fitting on one side and 1/2" x 16 ACME on the other meet SAE J2888.



MCL83272 **\$259.95** ~~\$289.95~~



R1234yf / R134a Premium Dual Manifold Gauge Set

Professional extruded aluminum block, 72" hoses and 2-1/2" silicone dampened, recalibrateable gauges. Free-floating piston type valves reduce o-ring wear. Extra access port for vacuum line. Extra large sight glass for visual refrigerant check. Large easy-to-grip knobs and patented manual couplers.

MCLC89772AYF **\$359.95** ~~\$399.95~~

Mobile Monster R134a Recover & Charging Station

Heavy-duty work station built to endure and excel in any environment, from challenging fieldwork to regular usage. Robust steel framework (36 1/4 x 28 3/4 x 25") and reinforced components ensure optimal performance, even in the most demanding conditions. Extra-large, 10" pneumatic off-road tires. 4-way aluminum manifold and electronic charging scale. 6 CFM, 2 stage vacuum pump. Twin Turbo refrigerant recovery machine. Nylon barrier hoses with standard (1/4" x 1/4") fittings. Recovery cylinder sold separate.

MCL91788 **\$3,295.00** ~~\$3,695.00~~



R134a & R1234yf Contaminated Refrigerant Recovery System

Approved for all air conditioning refrigerants, including R1234yf. Quickly and easily removes contaminated refrigerant. Compact and lightweight 1/2 HP oil-less compressor delivers reliable performance. Durable, reinforced plastic shell. Spark-free components to ensure safe operation even when dealing with combustible gases, including A2L and A3 flammable refrigerants. Includes 30 lb DOT-approved cylinder, 72" hoses, couplers, adapters and R134a/R1234yf gauge for comprehensive recovery.

MCL69400CON **\$1,595.00**



R12 & R134a No-Leak Valve Core Remover/Installer

Removes and installs R134a and R12 vehicle AC service port valve cores with no refrigerant loss. Eliminates the need for evacuating A/C system prior to replacing valve cores. For use with all R12 & R134a system valve cores for Standard, JRA, Eaton and GM Large Bore.

MCL58490 **\$164.95** ~~\$184.95~~



Refillable Universal Dye / Oil Injector

Inject oil or dye by connecting to the low side of the A/C system and twisting the handle until you reach the desired amount. Heavy-duty, anodized aluminum 2oz. container with dye scales in 1/10 ounce, 1/4 ounce and milliliters.

MCL53134A **\$109.95** ~~\$122.95~~



5 CFM Spark Proof Vacuum Pump for R-1234yf / R-134a

Dual inlet T-fitting compatible with both R-1234yf and R-134a. Spark-proof design for safer operation. 1,725 RPM pump with twin-port technology. 1/3 HP motor provides a powerful vacuum. Large oil level sight glass and easily accessible drain plug. Lightweight, durable construction for easy handling and long-life. Thermally protected motor with on/off rocker switch. High-volume fan and cooling fins keep motor and pump cool. Safe to use as a replacement pump for recovery machines. Includes 1/2" RH male x 1/2" ACME LH male inlet fittings.

FJC6930CW **\$219.95** ~~\$249.95~~



Refillable R1234yf Oil Injector

Inject oil or dye by connecting to the low side of the A/C system and twisting the handle until you reach the desired amount. Heavy-duty, anodized aluminum 2oz. container with dye scales in 1/10 ounce, 1/4 ounce and milliliters. Includes R1234yf coupler.

MCL53123YF **\$189.95** ~~\$209.95~~



IntellaSense II Leak Detector

Heated tin oxide sensing element. Sensing life is 2,000 hours. Detects all refrigerants (HFC, CFC, HCFC, and blends). Response time less than one second. Battery: (2) C alkaline 6,000 mAh batteries (included). Operating range: 0°F to 120°F

MCL55900 **\$319.95** ~~\$379.95~~





5 Piece Spark Plug & Sensor Thread Chaser Set

Restores and cleans threads in spark plug holes, Nox sensors, O2 sensors and more. Unique design can be used with a wrench, socket and 3/8" drive ratchet or extension for long reach applications and recessed spark plug holes. Low profile for access into confined areas. Includes M10 x 1.0, M12 x 1.25, M14 x 1.25, M18 x 1.5, M20 x 1.5 and vinyl holder. Made in USA.

RB1030 **\$54.95** ~~\$61.95~~

6/12/24V Heavy-Duty Charger with 280A Crank Assist

Safe for SLA, AGM, and maintenance-free batteries. 6V/70A, 12V/65A and 24V/30A charge ratings. 120-minute timer with continuous charge hold. 12V/280A engine start crank assist. 500A fully insulated clamps and heavy-duty chrome plated handle. Two-Year "bumper-to-bumper" Warranty and Five-Year Limited for Transformer/Rectifier. Made in USA.



ASD6006ACW **\$849.95** ~~\$949.95~~



5 Piece Bypass Wrench Set

3/8" Drive Wrench Set connects ratchet, extension and/or breaker bar. Accesses bolts and nuts by going around obstructions. Designed for turbo bolts and nuts on Cummins, Detroit Diesel, Mack, Volvo, International, John Deere, Komatsu and Audi. Works on a variety of applications.

ARBYSET5 12 Point **\$199.95** ~~\$219.95~~



TEXA 13" HD Truck, Automotive and OHW Scan Tool w/ FREE Off-Highway Cable Kit

Advanced coverage & repair solutions for HD Truck, automotive and off-highway equipment. Dealer-level diagnostics for passenger vehicles, light-duty to medium-duty trucks and commercial vehicles, HD trucks, busses, trailers, construction and agricultural vehicles. Features DTC codes & details, live data, bidirectional tests, coding & adaptations, advanced resets, diagnostic reports, technical information and wiring diagrams. 13.3" Gorilla glass screen. RP1210 Wireless VCI. Includes 1-year of Motor TruSpeed and 17 most common off-highway cables.

TEXDFPES **\$11,195.00** ~~\$12,805.00~~



11 Piece Injector Seal Installer Kit

Used for replacing Teflon seals on most Hitachi, Bosch, Continental and Delphi fuel injectors found on many Ford, GM and Subaru engines. It also works on many Ford ECO injectors with direct injectors. The pilot cone is placed onto the end of the injector, and the seal is started over the cone. The installer is used to push the seal over the remainder of the cone and into the groove on the injector tip. The sizer is then placed over the seal to compress it back to the correct OD to allow installation into the cylinder head.

LS34850 **\$99.95** ~~\$119.95~~

19mm & 22mm Cummins Fuel Line Sockets

Easily access and torque Cummins fuel injector lines correctly, reducing the possibility of a fuel leak or preventing damage to the line, fuel rail or fittings. Easily apply the factory torque of 80 ft.-lbs. on ISX engines and 30 ft.-lbs. on ISB engines. The 19mm, 1/2" drive socket is designed for Cummins ISB engines, 1998-current. The 22mm, 1/2" drive socket is designed for Cummins ISX engines, 2007-current.



SLC13900 6 Point **\$49.95** ~~\$59.95~~

Light Ranger MUTT® Trailer Tester

For 7-flat, 6-round and 4/5 flat pin trailer harnesses, the Light Ranger MUTT® simulates all electrical circuits of standard towing vehicles for boating, RV, landscaping, hunting and similar type light duty trailers. Comes with a battery charger and 3-way trailer harness adapter.



IP9101 **\$269.95** ~~\$278.95~~

Heavy Ranger MUTT® Trailer Tester

A commercial trailer light and electric brakes tester that reduces guesswork and saves time by powering each trailer electrical circuit in 7-way round pin arrangements. Allows for proper verification of wiring configuration, ground integrity, short circuit and overload conditions, along with electric brake operation and turn signal simulation.



IP9102 **\$269.95** ~~\$373.95~~

WORK BENCHES

A

Work Bench

Heavy-duty steel construction supports up to 1,600 lbs. Large 59.5" x 27.5" work bench area. Adjustable leveling leg stands. 2" retaining fence on three sides. Durable powder-coat finish. Overall Size 60"W x 28"L x 34.75"H

TUXPWB1600 **\$849.00** ~~\$899.00~~

B

Tear Down Table with Drain

Integrated offset table drain & 3 gallon catch basin. Heavy-duty steel construction supports up to 1,000 lbs. Lockable storage drawer. Large 46.8"W x 31.5"L table top area. 4" swivel poly casters (2 locking). Durable powder-coat finish. Overall size: 47"W x 32"L x 41"H

TUXPTDT1000 **\$1,295.00** ~~\$1,395.00~~

C

Tear Down Table with Retractable Parts Washer

Retractable 3.5 gallon parts washer. Integrated offset table drain & 3 gallon catch basin. Heavy-duty steel construction supports up to 1,000 lbs. Lockable storage drawer. Large 46.8"W x 31.5"L table top area. 4" swivel poly casters (2 locking). Durable powder-coat finish. Overall size: 47"W x 32"L x 41"H

TUXPTDTPW1000 **\$2,099.00** ~~\$2,149.00~~



Autel® Heavy-Duty Truck & OBDII Scan Tool


Read and erase codes on heavy-duty vehicles utilizing SAE-J1939 and SAE-J1708 protocols. Also compatible with OBDII Domestic, Asian and European vehicles, 1996 and newer. Includes 9-pin and 6-pin Deutsch cables, 16-pin cable and USB cable.



AUTAL529HD **\$159.95** ~~\$189.95~~

Curved Disconnect Pliers

Curved design to easily access push-style line disconnects commonly found on fuel, EVAP, vacuum and DEF fittings. Disconnects dual tab, button and pinch-type quick-connect fittings. Also works on CASE Heavy Equipment DEF hoses and some Aptiv electrical connectors. Ergonomic handles fit comfortably in hand.



CTGCDP **\$34.95** ~~\$39.95~~

Heavy-Duty Fleet Terminal Cleaner Kit

Cleans and repairs most electrical connectors found on cars, trucks, and industrial equipment in North America. Used as both service and preventative maintenance tools.



IP8048 **\$154.95** ~~\$172.95~~



1,500 lb. Capacity Engine Sling with Crank

Works with engine cranes to help transport and position engines and other large vehicle components. 3-1/4" bearing-mounted hand crank adjusts the center of balance. Includes (4) chains with mounting brackets and 2-year warranty.

CSE1500A **\$119.95** ~~\$147.95~~

4,000 lb. Folding Engine Crane

Designed for raising, lowering, and transporting (in the lowered position) automotive engines and other heavy shop loads. Dual pump pistons rapidly reach maximum height 25% faster than single pump designs. Low profile 4.7" legs designed to fit under a wide range of vehicle frames. 4 boom positions adjust for optimal reach based on required capacity. Drop forged steel hook swivels 360° for ease of use during operations. Adjustable anchors, and tie down straps keep engine from swaying. Space saving design folds for convenient storage.


CSEEC2T **\$1,395.00** ~~\$1,599.00~~



1,000 lb. Air Assist Telescoping Transmission Jack

Designed for the removal, installation and transporting of transmissions and transfer cases on vehicles that are supported by lifts. Minimum height of 35". Foot activated raising and lowering pedals. Manual operated second stage hydraulics provide precise and controlled raising and lowering of load. Universal saddle with four ratcheting arms. 2 locking casters to prevent moving. Nylon strap tie down secures the load to the saddle. Compliant with the latest ASME PASE-2014 safety standard.

CTJTJ1KA **\$2,095.00** ~~\$2,454.00~~



22 Ton Shop Press with Hand Pump

Heavy-duty, steel channel frame with wide base provides strength and stability. Glycerin filled pressure gauge reduces needle flutter for precise readings. Multi-position bed allows work height adjustment in 4-1/4" increments. Adjustable, sliding head and self-retracting ram. Includes pair of arbor bed plates.

CSESP22T **\$1,549.00** ~~\$1,749.00~~



750 lb. Manual Engine Stand

Designed for handling and positioning automotive engines up to 750 lbs. requiring repair or rebuild. Fully adjustable mounting head and adapter fingers. Long handle rotates mounting head. Sturdy 4 leg design for maximum stability supports engines up to 750 lbs. Compliant with the latest ASME PASE-2014 safety standard.

CSEES1KM **\$279.95** ~~\$315.95~~

1,500 lb. Low-Height Underhoist Stand with Foot Pedal

Low height is ideal for supporting low hanging vehicle components. Useful during exhaust work, engine support and suspension work, especially when clearance is limited. 12" diameter base and contoured saddle. Foot pedal provides 1-1/4" height movement. Compliant with the latest ASME PASE-2014 safety standard. Min height: 35-1/4"; Max height 57-1/2"

CSEUH15PL
\$199.95 ~~\$239.95~~



1,500 lb. Underhoist Stand with Foot Pedal

Designed to support vehicle components. Ideal for exhaust system installations, engine support during transmission installation and shock absorber replacement. Bearing mounted spin handle and self-locking Acme™ threaded rod provide easy height adjustment. 12" diameter base provides stability. Lightweight, slender design allows for easy handling in tight areas. Contoured saddle supports most component configurations. Foot pedal model will lift a vehicle component weighing up to 400 lbs. another 1-1/4". Compliant with the latest ASME PASE-2014 safety standard.

CSEUH15PA **\$289.95** ~~\$329.95~~



Fuel Tank Saddle Adapter

Use to remove, install and transport empty automotive gas tanks. Foam support pads can adjust for height, width and length to fit most gas tank configurations, up to 40 gallons. Ground wire assembly prevents static electric discharge on older metal tanks. (2) 8 ft. tie-down straps secure the tank to the adapter. Installs easily onto Cornwell® transmission jack saddles (CTJTJ1KA and CTJTJ1KH). Also compatible with most other transmission jacks.

CTJFTS **\$279.95** ~~\$309.95~~



22 Ton Truck Jack

Narrow chassis design fits easily between tandem wheels. Uni-weld hydraulic assembly provides longer service life and higher pump efficiency. Contoured chassis base raises wheels when under load to prevent damage. Air ram retraction and wiper seals protect the hydraulic system from contaminants. 8" diameter composite wheels for easy maneuvering. Convenient lever sets handle in 3 positions for usage, transport, and storage. Front positioning handle assists in positioning jack under lift point. Compliant with the latest ASME PASE-2014 safety standard.


CTJTRJ22TA **\$999.00** ~~\$1,132.00~~



3-1/2 Ton Service Jack

Super low 3.6" height and contoured arm access hard-to-reach lift points. Dual-pump pistons quickly reach service height. Premium seals, hydraulic fluid and pistons. Extra large front wheels for maneuverability. Max. height: 20.3"; Overall width: 14.25"; Overall length: 28"; Saddle diameter: 4.7"; Handle length: 50.5". Manufactured to comply with the ASME PASE-2019 Safety Standard.

CSESJ350NG Green
\$549.95 ~~\$599.95~~



2 Ton Low Profile Jack

Ultra-low 2-3/4" minimum height. Low-profile design throughout the whole chassis allows full reach under low ground clearance vehicles. 24-1/4" maximum height. Overload and bypass safety valves prevent over extension. Rubber saddle pad and foam bumper pad protect vehicle from damage.

CTJLP2NG **\$689.95** ~~\$774.95~~



6 Ton Vehicle Stands (Pair)

Used in pairs for supporting automotive vehicle after lifting. Wide four legged steel base for stability. Support columns with ratchet teeth provide multiple height positions. Self-locking handle and pawl secures column in place. Large saddles for easy positioning and load support. Compliant with the latest ASME PASE-2019 safety standards. Sold and to be used in pairs only.

CSEVS6TBA Blue
CSEVS6TGA Green
\$159.95 ~~\$189.95~~



22 Ton Pin Style Vehicle Stands (Pair)

Used to support heavy duty vehicles after lifting. V-shaped saddle to support and position vehicle frame. Multiple hole locations in support tube make height adjustments quick and simple. Height adjustment pin is attached to stand to prevent loss. Compliant with the latest ASME PASE-2024 safety standard. For use in pairs only.

CSEVS22TA **\$389.00** ~~\$429.00~~



10 Ton Extra Tall Vehicle Stands

Extra tall jack stands to provide versatility for high lift points. Used in pairs for supporting trucks, trailers and equipment. High-strength steel with reinforced, tubular legs. Multiple height adjustments in 2" intervals. Large saddle with side lugs to support and position vehicle frame. Multiple hole locations in the support tube make pin facilitated height adjustment quick and easy. Height Range: 28.1" to 46.5"; Base: 15.7" x 15.7"; Saddle: 3.25" x 5". Compliant with the ASME PASE - 2019 Safety Standard

CSEVS10TXTA Blue **\$499.95** ~~\$549.99~~



(4) Ratcheting Wheel Dolly & Rack Bundle

Each dolly supports up to 1,500 lbs (6,000 lbs total) and accommodates tires up to 12.8" wide. Heavy-duty casters and locks on outboard wheels keep vehicle secured when in position. Maintenance-free, ratcheting lift mechanism and large foot pedal. Welded handle for transporting. Manufactured to comply with the ASME PASE-2019 Safety Standard. Storage rack holds dollies vertically to conserve space and (4) swivel casters provide easy maneuverability.

XPCSEWD **\$949.95** ~~\$1,169.75~~





6,000 lbs. iMobile Single Column Lift

Single post car lift perfect for limited space and portability. Utilizes hydraulics to raise lift onto wheels, allowing lift to roll under vehicles. Lifting height of 72". Low-profile (under 4") with drive-over ramp and frame. Double-telescoping Screw Pads with 2-3/4" adjustable height. Lifting capacity of 6,000 lbs. Heavy-duty 13" x 10" structural column. Durable "chain-over" cylinder design. Rigid base construction. Single-point lock release and 21 locking positions. Stackable pad height extensions (2 sets of 4ea @ 2" & 4"). Heavy-duty arm restraints. Durable powder coat finish.

TUXMSC6KLP **\$7,895.00** ~~\$8,295.00~~



6,000 Lb. Portable Mid-Rise Lift

Extended, sliding adjustable radius arms can be used with cars and light-duty trucks. Portable trolley supports pump and is used to move lift. Twin hydraulic cylinders and scissor-design for maximum strength and stability. Multiple safety lock positions. Includes swivel pads. Overall Length 96-1/2"; Overall Width 39-5/8"- 62"; Lifting Height with Adapters 54"; Min. Pad Height 7"; Power 115V - 15 Amp - 1PH

TUXMR6K48X **\$4,795.00** ~~\$4,995.00~~



1,500 lb. Motorcycle Lift w/ Drop Out Panel, Pneumatic, High Rise

1,500 lbs. capacity with 38-1/2" max lift height. 88"L x 31"W platform table and 50"W with side extensions. Min height 6-3/4". Air/hydraulic pump. Built-in drop-out panel. Ideal for motorcycles, snowmobiles, ATVs, etc. Includes front wheel vise & wheel stop, rear service support poles, side extensions and ramps.

TUXM1500CHR **\$3,595.00** ~~\$3,795.00~~



10K, 3-Stage Spot-Rite™ Symmetrical Arms

Symmetrical column design. Spot-Rite™ 3-stage arm allows positioning the vehicle doors in front of or behind the columns. Adjustable width options. Includes (4) low-profile drop-in adapters, (4) 3.5" extensions, (4) 5" extensions and adapter storage bracket. ALI Gold Certified. Max Rise: 76'-1/4"; Required Ceiling Height: 144"

VSG10N500MBL **\$7,495.00** ~~\$8,195.00~~



10,000 lbs. Two Post Lift, Symmetrical, 3-Stage Front Arms

10,000 lbs capacity. Symmetrical column design. Versatile 3-stage front and 2-stage rear arms. Spring operated arm restraints. Top mounted Direct-Pull lifting technology. Overhead cable equalization. Adjustable width options. Single point lock release. Includes low-profile drop-in adapters, adapter extensions (3.5", & 5") and storage bracket. Powder coated finish. ALI Gold Certified. Maximum Rise: 76'-1/4"; Overall Width: 10'9"; Drive through width: 99"; Voltage/Amps: 208-230V, 17 amps; Ceiling Height required: 12'.

VSGF10N500MBK **\$6,995.00** ~~\$7,492.95~~



12,000 Lbs. Two Post Lift, Symmetrical Arms

ALI Certified, heavy-duty, 2 post lift. 2-stage, low profile swing arms, adjustable height swivel pads and single-point cable lock release. Padded overhead safety shut-off bar. Direct (push) drive hydraulic cylinders. External hose guards and rubber hose guards. 2.6" and 5" stackable height adapters. MET UL/CSE Certified Duro power unit. Overall Height: 168'-1/2"; Overall Width w/ Power Unit: 151'-5/16"; Max Lift Height: 75"; Width Between Columns: 122"; Min. Pad Height: 4'-7/8"; Drive Thru Clearance: 109"; Lifting Speed: 50 Seconds; Power: 220V - 20 AMP - 1 PH.

TUXTP12KSCDX **\$9,995.00** ~~\$10,895.00~~



11,000 lbs. Two Post Lift, Asymmetric

User-friendly bi-symmetric configurable arms, 3-stage front arms and symmetric columns. Direct Drive pull cylinders. Single point lock release. Rubber door guards and spin up low profile lift pads. Includes 2" and 4" stackable truck adapters. Max Lift Height 71"; Width Between Columns 116"; Drive Thru Clearance 104"; Height Overall 144"

TUXTP11KCDX **\$5,995.00** ~~\$6,295.00~~



Complete Wireless CCD Wheel Alignment System

8-Sensor CCD alignment system for cars and light trucks. User-friendly software provides graphical instructions and guides the user through the alignment process. Extensive vehicle database spans 30+ years and over 40,000 vehicles. Featherweight wheel clamps with 12"-24" range (optional clamp extensions also available). Rechargeable Li-ion sensors with built-in Wi-Fi and shock-proof accelerometer provide up to 24hrs of work time. Portable wheel stands with turn plates align all vehicles including independent four-wheel suspensions and long wheel base light trucks. Made in Italy, final assembly in USA. Stands made in the USA. Includes work/storage station, Windows PC, 27" TFT monitor, USB keyboard, (4) wheel sensors / clamps, brake pedal depressor, steering wheel holder, (4) wheel stands w/ turn plates.

CMBCDWA1100CWAS With Wheel Stands **\$23,695.00** ~~\$24,995.00~~

CMBCDWA1100 Without Wheel Stands **\$19,995.00** ~~\$20,995.00~~

Autel® MA600 All Systems 2.0T Portable All Systems ADAS

The ultimate bundle for ADAS calibration capabilities. All systems package with MaxiSYS 909 S2 Tablet and ADAS Software Upgrade covers dynamic ADAS calibrations for Asian, Domestic and European vehicles when applicable. Package includes MA600 Frame, targets, patterns and components for LDW, ACC, Lidar, Radar, Night Vision, RCW, Lane Watch and AVM system calibrations; LDW Patterns/Targets for Alpha Romeo, Honda, VW, Mercedes, Hyundai/Kia, Nissan, Infiniti, Mazda, Mitsubishi, Mazda, Subaru, Toyota/Lexus; Lidar Calibration for VW/ Audi, Lexus, Toyota; RCW patterns/package for VW, Nissan, Mercedes; Honda Lanewatch Target; Target Stand.

AUTMAS20T **\$28,499.00** ~~\$30,581.63~~



Bead Bazooka® w/ 2" Release, 6L RAR

The most advanced bead seater ever made. Utilizes an upgraded trigger-operated Rapid Air Release (RAR) valve technology which provides more power in an ultra-compact design. Anti-corrosion interior tank coating. Compatible with motorcycle, car, light truck, and heavy commercial vehicles.

GTCGBB6L2 **\$549.95**

Tire Changer w/ Press Arm and Wheel Balancer Combo

Swing Arm Tire Changer with press arm. Dual table clamping cylinders and dual stage inflation system. Foot operated bead breaker. Power Supply: 110V 50/60 Hz + Air; Air Pressure: 145 PSI (10 bar); Rim Diameter (Ext.): 12"-24"; Tire Diameter: 44"; Max. Wheel Width: 15"; Turn Table Speed: 8-15 rpm. Space-Saver wheel balancer with direct weight placement. 3D inner data entry and AutoAdaptive enhancement software. Motorized, fast 5-second average cycle time. Includes Quick Clamping Wing Nut. Power Supply: 110V, 1ph, 50/60Hz; Balancing Speed: 100 rpm; Maximum Rim Width: 20"; Maximum Rim Diameter: 30"; Maximum Tire Diameter: 36"; Max Wheel Weight: 165 lbs. Final assembly and tested in the USA.

CMBCCECOMBOPA

\$13,795.00 ~~\$13,995.00~~



Computerized Wheel Balancer with 17" Monitor

Automatic gauge detects distance and diameter (up to 28" rims). LA sonar for width measurement enables immediate entry of wheel data. Automatic Approach stops the wheel around 15° from the counterweight location. Electromagnetic brake locks wheel in position. Laser spotter pinpoints the exact location for stick-on weights. Preset programs SPLIT, OPT, and ALU. 17" TFT flat screen monitor. Power Supply: 115V, 1ph; Max. Rim Diameter: 30"; Max. Rim Width: 20"; Max. Tire Diameter: 42"; Max. Wheel Weight: 165 lbs.

CMBCER65 **\$8,495.00** ~~\$9,095.00~~



Advanced Swing Arm Tire Changer w/ Bead Press System

High-performance Bead Press System (BPS) for servicing low-profile, run flat, on/off road tires and commercial light trucks with stiff sidewalls and difficult rims with deep drop centers. Self-centering clamping jaws with dual air cylinders; uniform clamping pressures and high clamping force reduce the possibilities of rim slippage. Standard quick-change mount head kit provides steel and polymer long wearing mounting heads. Heavy duty, high torque, 2-speed (8-15 rpm) 220v motor. Two stage inflation jets and foot-operated bead breaker. Final assembly and tested in the USA. Power Supply: 220V, 1ph, NEMA Plug L6-20P; Air Pressure 145 PSI (10 bar); Rim Diameter (Ext.): 12"-26" (6" ext.); Tire Diameter: 44"; Max Wheel Width: 16"; turn Table Speed: 8-15 rpm.

CMBCSM628BPS **\$12,195.00** ~~\$12,895.00~~





PART #	DESIGN	VIEW AREA	VARIABLE SHADE	GRIND MODE	ARC SENSORS	PRICE
A MMW56VG	Skeleton	3.86" x 1.73"	9-13	✓	2	\$189.95 \$209.95
B MMW58VG	Green Goblin	3.86" x 1.73"	9-13	✓	2	\$169.95 \$189.95
C MMW710DVG	NHRA	3.82" x 1.85"	5-13	✓	2	\$209.95 \$229.95
D MMW77VG	American Flag	3.82" x 2.44"	5-13	✓	4	\$299.95 \$334.95
E MMW811VG	Skull & Flag	3.82" x 3.19"	5-13	✓	4	\$399.95 \$429.95
F MMW820DVG	Flying Eye	3.82" x 3.19"	5-13	✓	4	\$409.95 \$449.95
G MMWWH3538L	Skull & Eyeball	3.62" x 1.65"	9-13	✓	4	\$199.95 \$239.95
H MMW500VGX	American Eagle	3.86" x 1.65"	9-13	✓	2	\$139.95 \$149.95
I MMW900PVG	American Greatness	4.5" x 3.36"	8-13	✓	7	\$449.95 \$499.95
J MMWWH3538LSBF	Flag	3.62" x 1.65"	5-9 / 9-13	✓	4	\$209.95 \$239.95



Clip on Light for MMWWG1

Clip on Light for Welding Goggles (MMWWG1)

MMWWGLIGHT \$54.95



USB Rechargeable Welding Helmet Fan

Welding helmet ventilation and cooling system. Universal clip on attaches to nearly every welding helmet. Activated charcoal filter and positive pressure reduces fumes by up to 90%. Lightweight at just over 5 ounces.

MMWAGHOTHEAD2.0 \$139.95



Welding Goggles

Auto-darkening goggles are a unique protective alternative to a traditional welding helmet. The lightweight, low profile form makes it ideal for tight clearance environments. 4 sensors and 5-13 lens shade rating on a dual coated bronze lens. Includes a replaceable CR2450 battery.

MMWWG1 \$229.95 \$329.95



Welding Jacket

Vented back. Barracuda collar. Snap front. Dual soapstone/scribe pockets. Snap cuffs.

MMWFRJM M

MMWFRJL L

MMWFRJXL XL

MMWFRJ2XL 2XL

\$69.95

Oxyacetylene Welding Outfit

Medium duty outfit for general purposes. Can weld up to 1/4" and cut up to 1/2". Includes: Torch handle with check valve, cutting attachment, Oxygen and Acetylene regulators, cutting tip, welding nozzle, T-Grade 12 foot twin hoses, goggles, and striker

MMWBS250TO \$399.95 \$449.95



Tig Welding Gloves Gray

Superior top grain pearl kidskin leather. Improved grip from the straight thumb. 4" cuff for extra protection of the lower arm. DuPont™ Kevlar® stitching for enhanced strength and protection. Unlined to boost the feel and dexterity.

MMWAG24CL L

MMWAG24CXL XL

\$14.95



Mig/Stick Welding Gloves Blue

Premium side-split cowhide. Welted fingers make it more difficult for stitching to come apart. Length: 14". Cotton/foam lined back for added heat protection.

MMWAG1080L L

MMWAG1080XL XL

\$14.95



Universal Welding Cart

Top shelf: 23-3/4" x 12-3/4". Holds 7-1/2" diameter cylinders. Fold down front handle for towing. 110 lbs. capacity.

MMWC2XL **\$264.95** ~~\$294.95~~



Welding Cart with Locking Door

Can be used for MIG, Stick, TIG welders and Plasma cutters along with a cylinder of shielding gas for the application.

MMWC3 **\$339.95** ~~\$359.95~~



Heavy-Duty Welding Cart

Can be used for MIG, Stick, TIG welders and Plasma cutters along with a cylinder of shielding gas for the application. 400 lb. capacity. 18 gauge steel construction and powder coat finish. Shelf Dimensions: 15-1/4" x 22-1/2" top shelf and 15-1/2" x 21-7/8" bottom shelf. 18" clearance between bottom and top shelves.

MMWUC4 **\$379.95** ~~\$399.95~~

250 Amp Mig Welder With Spool Gun

A versatile 230V, 250A multi-process welder that comes with MIG and Spool guns with a built in single/dual cylinder rack. Features a Synergic LCD control that allows the operator to select processes and weld settings along with ability to load and save weld programs. Accepts a wide variety of wire spools. It is designed to weld materials as thin as 24 gauge all the way up to 1/2" in a single pass. The Spool Gun is capable of welding aluminum with 4" spools of wire. Comes with 12 ft. MIG gun, 12 ft. Spool gun, two dual gauge regulators, two gas hoses, and extra contact tips and drive rolls. MIG wire not included.

MMWMP251I **\$3,795.00** ~~\$4,195.00~~



120V MIG & Flux Welder

Inverter-powered wire feed welder for flux core and MIG welding plus a DC stick welder. It uses leading edge Inverter Technology to provide high quality welds that are crisp, clean, and consistent. It comes complete with a regulator and gas hose for easy connection for MIG welding plus a weld cable. Directly connect this unit to a 120V, 20A AC receptacle. It is designed to weld materials as thin as 24 gauge all the way up to 3/16" in a single pass.

MMWMP143I **\$799.95** ~~\$899.95~~



Dual Voltage Plasma Cutter

Cuts up to 11/16" steel at a travel speed of 10" per minute. Cuts all electrically conductive materials. Cuts a narrow kerf that results in a smaller heat affected zone for reduced warping. Pilot arc for easy starts. Built-in air pressure adjustment and gauge, indicator lights and thermal overload protection. Built in water separator. Input power: 120V, 25A 50/60 Hz single phase; 230V, 40A 50/60Hz single phase. Output Voltage: 150 to 40A. Duty cycle: 40% @ 25A (120V Power); 60% @ 40A (230V Power). Required Compressed Air: 4.5 CFM @ 60

MMWP700DVI **\$2,295.00** ~~\$2,595.00~~



Tig Welder AC/DC, Dual Voltage

Dual voltage, inverter powered AC and DC TIG, Pulse TIG and DC Stick welder. This unit is intended to be used on a 50-amp 230V AC circuit or 120V, 20A AC circuit, without the use of an extension cord. This machine comes complete with a TIG Torch, a Foot Pedal, regulator/flowmeter with inert gas hose, a ground cable and clamp, and an Electrode Holder with cable.

MMWTIG242DVI **\$2,995.00** ~~\$3,695.00~~



240 AC DC TIG MIG Welder/w HD Cart & Helmet

Includes: 240AC DC TIG MIG Welder (MMWMP240ACDCMT), HD Welding Cart (MMWUWC4), and Variable Shade Welding Helmet- Racing Stripe design (MMW67VG).

XPMMW240ACDCCH

\$4,879.95 ~~\$5,658.90~~



**SAVE
\$778.95**

**SAVE
\$904.90**

4 in 1 Welder & Plasma Cutter Combo

Includes: 4 in 1 Dual Voltage Welder (MMWMP242DVIK), 230V Plasma Cutter 60 Amp (MMWP700DVI), Welding Helmet American Eagle Design (MMW500VGX), and a Welding Cart with Locking Door (MMWC3).

XPMMW242W700P

\$5,595.00 ~~\$6,499.90~~



Dual V Mig Welder, Spool Gun & Cart Combo

Includes: Dual V Mig Welder & Flux (MMWMP185DV), Cornwell Easy Feed Spool Gun (MMWEZFSG2), Welding Cart (MMWC2XL).

XPMMWMP185SGC

\$2,449.95 ~~\$2,873.60~~



**SAVE
\$423.65**

GENERATORS

Gas Portable Generator 8350W Recoil Start 120/240V With CO Alert

A powerful 8350-watt 30A power generator with CO Alert technology. 389cc engine runs cool and efficient thanks to the Phoenix Fat Head Block. For ultimate portability. Includes a 10" wheel-kit and high-leverage folding handle, a generator cover, oil, a funnel, operator's manual, and spark plug wrench.



FIRP06705 **\$1,172.61** ~~\$1,234.33~~

Tri Fuel Portable Generator 8250/6600W Electric Start

Fuel options from gasoline to propane and natural gas, it cranks out an astonishing 8250 Starting watts, delivering 120/240V power. This unit has push-button electric start and/or recoil backup. The intuitive panel provides easy access to switches and outlets, while including essentials like an oil bottle and fuel gauge to keep operations smooth.



FIRT08273 **\$980.08** ~~\$1,031.66~~

Gas Generator 4550/3650W Remote Start 120/240V

Delivers power and performance in a compact, easy-to-use design. With 4,500/3,650 watts and 120/240V. Features remote start, 30A plugs, an 8" wheel kit, and a foldable handle for effortless maneuverability. The 5-gallon fuel tank, runs for up to 14 hours.



FIRP03632 **\$870.84** ~~\$916.67~~

Tri Fuel Portable Generator 16800/13500W

760cc V-Twin engine delivering 16,800 starting watts and 13,500 running watts on gas. With the flexibility to run on gas, propane (LPG), or natural gas (NG) The push-button electric start fires it up instantly. Has a 13.3-gallon tank and powers up to 11.5 hours at 50% load. Equipped with multiple heavy-duty outlets, including 120V/240V 50A and 30A twist-lock options, plus a built-in DC outlet and charging port. Mounted on a steel frame with 12-inch flat-free wheels.



FIRT13071 **\$4,248.08** ~~\$4,471.66~~

Gas Generator 11600W Remote Start 120/240V

11600 starting watts and 9300 running watts. Has an 11-hour run time on a 9-gallon gas tank. Includes an 11" wheel kit, folding handle, and 4-in-1 data minder measuring Volts, Hertz, Hrs, and a low oil indicator.



FIRP09305 **\$1,520.00** ~~\$1,600.00~~

2" Portable High Pressure Semi-Water/Trash Pump Kit

Powered by a gasoline engine. Pump features a 15' intake hose and 25' discharge output hose. The 208cc engine has a 0.95 Gal. gas tank. Engine driven pump with a maximum flow of 160 GPM, is non-submersible and comes equipped with a low oil sensor that automatically shuts off the engine when the oil level is below operating standards. Comes mounted on a rigid frame that prevents damage and provides an easy tie down option for transportation. Includes an 8" wheel-kit and folding handle.



FIRFPG20T **\$569.95** ~~\$576.56~~

Champion 11000 Watt Inverter w/ REMOTE Electric Start

11,000 starting watts and 9000 running watts. Has a 6.1-gallon tank of gasoline, and can run up to 15 hour at 25% load. From 23 feet, the noise level is 64 dBA. Includes: Remote Key Fob, Engine Oil, Oil Funnel, Allen wrench / Phillips screwdriver, Spark Plug Wrench, Wheel Kit, and Battery.

CPE201407 **\$2,995.00** ~~\$3,453.13~~



30' Retractable Cord

Keep your work area tidy and organized with this 30' retractable extension cord reel enhanced with illuminated receptacles.



FIR2035 **\$166.25** ~~\$175.00~~



Champion 3500 Watt w/ REMOTE Electric Start

Start and stop with ease from up to 80 feet away with the included wireless remote key fob. At 4375 starting watts and 3500 running watts, enjoy up to 12 hours of run time on a full tank of gasoline. 120V 30A locking, 120V 30A RV, and a 120V 20A duplex outlet. Includes: Engine Oil, Oil Funnel, Remote Key Fob, Battery, Wheel Kit.

CPE201489 **\$849.95** ~~\$924.28~~

Generator Power Cord 25' Heavy Duty

30 Amp Generator Extension Cord is built for serious power distribution. Featuring a L14-30P to four 5-20R household outlets, this heavy-duty 25-foot cord delivers up to 5,000 watts of 120/240V power. Constructed with durable 10-gauge wiring, this cord ensures reliable power transfer in demanding environments and is fully insulated and rated for outdoor use.



FIR1120 **\$130.50** ~~\$145.00~~

22 Ton Log Splitter

22-Ton Log Splitter delivers powerful, high-speed performance with a 208cc engine, 6.6 second cycle time, and rugged horizontal/vertical versatility -- built to split more wood in less time so every task is done in a flash.

FIRGS2206 **\$1,961.75** ~~\$2,065.00~~



33 Ton Log Splitter

33-Ton Log Splitter delivers maximum wood-splitting performance with a powerful 389cc engine, high-output 25 GPM two-stage pump, and lightning-fast 5.7-second cycle time — built to power through the toughest hardwoods with ease.

FIRGS3301 **\$2,921.25** ~~\$3,075.00~~



Champion 11,000 lb Winch Kit

This winch kit has 11,000 lbs. of rated line pull, with a gear reduction ratio of 261:1, with a powerful 3.0 hp 12 volt DC motor. It also has a free spooling clutch and a 3/8" synthetic rope that is 85.3' long. Includes: winch unit, roller fairlead, handheld remote control, snatch block, and battery lead. Net weight 88.2 lbs.

CPE201609 **\$679.95** ~~\$799.23~~

AIR COMPRESSORS



**7.5 HP 2 Stage
Compressor**

ACC318VL

\$4,995.00



**5 HP 2 Stage
Compressor**

ACC4916VS 60V

\$2,395.00



**5 HP 2 Stage
Compressor**

ACC4918VS 80V

\$2,795.00



**3.5 HP
Single Stage
Compressor**

ACC6061V

\$1,695.00

	ACC318VL	ACC4916VS	ACC4918VS	ACC6061V
HP	7.5	5	5	3.5
VOLTAGE OR ENGINE	230/1 PH	230/1PH	230/1PH	230/1PH
PUMP STAGES	2 Stage	2 Stage	2 Stage	1 Stage
MAX. PSI	175	165	175	130
ACFM	25.25 @ 100 PSI	16.1 @ 100 PSI	15.33 @ 100 PSI	12.35 @ 100 PSI
ASME TANK	80 Gallon	60 Gallon	80 Gallon	60 Gallon
DIMENSIONS	39"L x 24"W x 77"H	23"L x 27"W x 70"H	36"L x 24"W x 73"H	30"L x 22"D x 68"H
SHIPPING WEIGHT	479 lbs.	261 lbs.	382 lbs.	261 lbs.



(DSO) Deluxe 7.5 HP
2 Stage Compressor

ACC72180V2FF

\$6,195.00



2 HP Single Stage
Compressor

ACC5024VP

\$1,395.00



13 HP 2 Stage
Compressor

ACC3G3HHL

\$5,595.00

ACC72180V2FF	ACC5024VP	ACC3G3HHL
7.5	2	13
230/1PH	120/2PH	Honda
2 Stage	1 Stage	2 Stage
175	145	175
24 @ 175 PSI	7 @ 100 PSI	25.25 @ 100 PSI
80 Gallon	20 Gallon	30 Gallon
27.4"L x 40" W x 69.8" H	22"L x 21.5"W x 47.8"H	44"L x 19"W x 45"H
694 lbs.	180 lbs.	369 lbs.



C.H. HANSON
Since 1866 • Tools for Generations™



1/8" 9 Piece Number Steel Stamp Set

1/8" Includes number set containing 9 pieces 0-9 (the 6 is used as a 9). Stamps for occasional use, hand held marking. Works on wood, leather, aluminum, brass, sheet metal, cold roll steel. Crowned striking surface ensures full force to the center of the stamp & textured shank provides firm easy grip.

LJ20541 \$24.95 ~~\$28.57~~



1/4" Number Steel Stamp Set

1/4" 3/8" x 2- 5/8" Standard Number Set. Contains 9 pieces 0-9 (the 6 is used as a 9). For hand-held, hammer-struck applications. Crowned striking surface ensures full force to the center of the stamp & textured shank provides firm easy grip. Packed in durable plastic storage container.

LJ20581 \$38.95 ~~\$43.96~~



27 Piece 1/4" Lettered Steel Stamp Set

Includes 26 letters (A-Z) and 1 period. Each stamp is placed in a separate compartment set in plastic box. Steel.

LJ20300 \$117.00 ~~\$130.00~~



27 Piece 1/8" Standard Letter Stamp Kit

1/8" 1/4" x 2-3/8" Standard Letter Set. Sets contains 27 pieces A-Z plus ampersand (&). The crowned striking surface ensures full force to the center of the stamp and textured shank provides a firm easy grip. Packed in a durable plastic storage container.

LJ20200 \$84.00 ~~\$93.41~~



52" 3-in-1 Shear, Brake & Roll Machine w/ Stand

Can roll, bend and cut sheet steel up to 16-gauge thick. The perfect tool for small shops and one-off projects. Rolls also include grooves for rolling wire. Heavy-duty cast-iron frame and bed construction. Spring loaded sheet hold down. Hinged slip roll guard covers the rollers for increased safety when not in use. Rolling Capacity Mild Steel: 16 Ga Rolling Capacity Stainless Steel: 20 Ga Sheer Capacity Mild Steel: 16 Ga Sheet Capacity Stainless Steel: 20 Ga Minimum Rolling Diameter: 1-5/8" Stand included

LJ9629624 **\$4,754.00** ~~\$5,283.00~~



40" 3-in-1 Shear, Brake & Roll Machine

Can roll, bend and cut sheet steel up to 16-gauge thick. The perfect tool for small shops and one-off projects. Rolls also include grooves for rolling wire. Heavy-duty cast-iron frame and bed construction. Spring loaded sheet hold down. Hinged slip roll guard covers the rollers for increased safety when not in use. Rolling Capacity Mild Steel: 20 Ga Rolling Capacity Stainless Steel: 24 Ga Sheer Capacity Mild Steel: 20 Ga Sheet Capacity Stainless Steel: 24 Ga Minimum Rolling Diameter: 1-5/8"

LJ9629622 **\$3,070.00** ~~\$3,413.00~~



30" 3-in-1 Shear, Brake & Roll Machine

Can roll, bend and cut sheet steel up to 16-gauge thick. The perfect tool for small shops and one-off projects. Rolls also include grooves for rolling wire. Heavy-duty cast-iron frame and bed construction. Spring loaded sheet hold down. Hinged slip roll guard covers the rollers for increased safety when not in use. Rolling Capacity Mild Steel: 20 Ga Rolling Capacity Stainless Steel: 24 Ga Sheer Capacity Mild Steel: 20 Ga Sheet Capacity Stainless Steel: 24 Ga Minimum Rolling Diameter: 1-1/2"

LJ9629620 **\$2,067.00** ~~\$2,297.00~~

Stand for LJ9629620

Fits Palmgren's 9629620 3-in-1 machine. Constructed from heavy duty sheet steel. Raises machine operation to optimal ergonomic height.

LJ9629621
\$531.00 ~~\$591.00~~




Stand for LJ9629623

Fits Palmgren's 9629622 3-in-1 machine. Constructed from heavy duty sheet steel. Raises machine operation to optimal ergonomic height.

LJ9629623
\$590.00 ~~\$657.00~~



COMBINATION PIPE & BENCH VISES



PART #	TYPE	JAW WIDTH	JAW OPENING	THROAT CAPACITY	PIPE JAW CAPACITY	PRICE
A LJ9699744	Combination Pipe & Bench Vise	4"	5"	3.5"	7/8 - 2 1/4"	\$479.00 \$533.00
B LJ9699745	Combination Pipe & Bench Vise	5"	6"	3.5"	1/4 - 2 1/2"	\$545.00 \$606.00
C LJ9699755	Combination Pipe & Bench Vise	5.5"	8.5"	4.5"	1/4 - 3 1/2"	\$924.00 \$1,027.00
D LJ9699746	Combination Pipe & Bench Vise	6"	7"	3.75"	1/4 - 3 1/2"	\$626.00 \$696.00
E LJ9699756	Combination Pipe & Bench Vise	6.5"	8.5"	4.5"	1/4 - 3 1/2"	\$1,018.00 \$1,132.00
F LJ9699748	Combination Pipe & Bench Vise	8"	8.25"	4.75"	1/4 - 3 1/2"	\$871.00 \$968.00
G LJ9699758	Combination Pipe & Bench Vise	8.5"	9"	5.66"	1/4 - 3 1/2"	\$1,476.00 \$1,640.00
H LJ9629692	Machinist Bench Vise	12"	12"			\$800.00 \$894.00



Cornwell® Bucket Hat

Unstructured bucket hat with colored inside brim. Full color, all over custom design with an Ironman patch on the front. Water resistant. One-size-fits-most.

CGBUCH \$14.95 ~~\$16.95~~



Cornwell® Flat Bill Rope Hat

5-panel flat bill hat with white rope. Mid-profile, structured. Breathable circle pattern perforation in mid and back panels. Snapback closure. Embroidered Cornwell Tools logo.

CGFBRH \$14.95 ~~\$16.95~~



Rubber Patch Hat

Chino twill mesh back cap. Structured front panels and slight curve visor with contrast stitching. Inside sweatband for maximum comfort. Classic snap-back closure. 3-D, Ironman rubber patch.

CGRIPIH \$26.95 ~~\$28.95~~

Cornwell® Tiki Light Speaker Pair

Full range speaker with 360 sound, flickering LED flame effects, and light on/off switch. Bluetooth wireless allows them to pair together and easy pair to enabled devices. Supports Bluetooth v5.3. Bluetooth TWS gives you full stereo sound without wired connections. IPX4 water resistant design. Battery life: ~4 hours at 50% ~2 hours at 100% volume. Wireless range: 59 feet, 33 feet between speakers. Type-C port for battery recharge. (Included) Multiple mounting options: adjustable height yard stakes, wall mount, hanging, tabletop.



CGTSL \$64.95

Limited Quantity Cornwell® Tritan Water Bottle

32oz. wide mouth water jug. Composed of impact and shatter resistant Tritan™ material. Screw-on cap with safety strap. Features measurement markings in ounces and milliliters. BPA Free. Imprinted with a Cornwell® Tools logo.



CGWMJ \$20.95 ~~\$22.95~~



Insulated Cooler Backpack

Keep your items cool while on the go! Canvas & 600D Polyester. Features a large, zippered closure main compartment, two zippered pockets on front & two external side mesh pockets for holding bottles. Adjustable padded shoulder straps. 12-18 can capacity. Size: 13"L x 7.9"W x 20.1"H

CGBCB \$40.95

Cornwell® Performance Tee

Maroon, 4 oz. 100% polyester interlock jersey. Moisture-management properties. UPF 50+ protection. Snag-resistant. Tear away label for added comfort.



CGMPERTM M
CGMPERTL L
CGMPERTXL XL
CGMPERT2XL 2XL
CGMPERT3XL 3XL
\$19.95 ~~\$21.95~~

Playing with Blocks Tee

Black, 4.5 oz 100% ring-spun USA premium, soft cotton. Tear away label for added comfort. Full color graphics on the back. Cornwell® logo on the left chest.



CGBLCKTM M
CGBLCKTL L
CGBLCKTXL XL
CGBLCKT2XL 2XL
CGBLCKT3XL 3XL
\$25.95 ~~\$28.95~~

Classic Truck Tee

Black, 4.5 oz 100% ring-spun USA premium, soft cotton. Tear away label for added comfort. Classic truck graphic on back. Cornwell® logo on left chest.



CGTCTM M
CGTCTL L
CGTCTXL XL
CGTCT2XL 2XL
CGTCT3XL 3XL
\$25.95 ~~\$28.95~~

6 Piece TiAIN Coated Annular Cutter Kit

BlackMax Coating (TiAIN). Reduces heat and friction. Cuts faster, runs cooler. Maintains sharpness under heat. Made for plate steel drilling. Includes sizes: 5/8", 9/16", 11/16", 13/16", 15/16" and 1".

MGB516 **\$339.00** \$377.55



1-5/8" x 2" Capacity Magnetic Base Drill

Twin rail slide system maximizes slide stability. Slide has no contact with the main body of the machine. Reduced friction wear. Reduced cutter breakage. Better stability.

MGBMB40 **\$1,239.00** \$1,377.55



JOIN THE CLUB. STEP ON A TRUCK. BE YOUR OWN BOSS

cornwellfranchise.com or call 1-800-321-8356



**SAVE
OVER
\$2,991**



20 Watt Bench Top Fiber Marking Laser Machine

Raiseable side doors allow for large work pieces and for the machine to be integrated directly into an assembly line. Pilot laser allows for easy work piece alignment by showing either a box where the contents will be marked or it can show the exact text that you wish to mark. Easy to use focus finder enables the user to quickly find the focal point of the laser for precise laser marking. Rotary chuck allows for simple marking of round or cylindrical work pieces. The combination of touch screen computer, wireless keyboard, and mouse allow for quick simple operation. EZCAD 2 provides a simple user friendly operating system with a wide variety of design options. Capable to mark brand logos, serialization, and date stamping. We offer demos for qualified inquires -Email us at sales@chhanson.com or call us 1-800-827-3398 and we will come to you with one of our machines to show you what it can do for your shop.

LJ21020 **\$26,921.17** \$29,913.00

